

Да се храним, за да живеем

д-р Джоуел Фърмън

Издателство Еуниката

София, 2015 г.

Всички права запазени

Бележки

Глава 1: КАК КОПАЕМ СОБСТВЕНИТЕ СИ ГРОБОВЕ С ВИЛИЦИ И НОЖОВЕ

1. Wang Y, Beydoun MA, Liang L, et al. Will all Americans become overweight or obese? Estimating the progression and cost of the US obesity epidemic. *Obesity (Silver Spring)*. 2008 Oct;16(10):2323–30.
2. Centers for Disease Control. National Center for Chronic Disease Prevention and Health Promotion. *Obesity at a Glance*: 2009. <http://www.cdc.gov/nccdphp/publications/AAG/pdf/obesity.pdf>; United Health Foundation. America's Health Rankings. Direct Health Care Costs Associated with Obesity: 2018. <http://www.americashealthrankings.org/2009/obesity/ECO.aspx#2018>.
3. Foryet J. Limitations of behavioral treatment of obesity: review and analysis. *J Behav Med*. 1981;4: 159–73.
4. Perri MG, Sears SF Jr., Clark JE. Strategies for improving maintenance of weight loss: toward a continuous care model of obesity management. *Diabetes Care*. 1993; 16:200–9.
5. Bouchard C. The causes of obesity: advances in molecular biology but stagnation on the genetic front. *Diabetologia*. 1996;39(12): 1532–33.
6. Pischon T, Boeing H, Hoffmann K, et al. General and abdominal adiposity and risk of death in Europe. *N Eng J Med*. 2008 Nov 13;359(20):2105–20.
7. Guh DP, Zhang W, Bansback N, et al. The incidence of co-morbidities related to obesity and overweight: a systematic review and meta-analysis. *BMC Public Health*. 2009 Mar 25;9:88; *Clinical guidelines on the identification, evaluation, and treatment of overweight and obesity in adults*. National Heart, Lung, and Blood Institute reprint. Bethesda, Md.: National Institutes of Health; 1998.
8. Must A, Spadano J, Coakley EH, et al. The disease burden associated with overweight and obesity. *JAMA*. 1999;282(16):1523–29;

- Allison DB, Fontaine KR, Manson JE, et al. Annual deaths attributable to obesity in the United States. *JAMA*. 1999;282(16):1530–38.
9. Melissa J, Christodoulakis M, Spyridakis M, et al. Disorders associated with clinically severe obesity: significant improvement after surgical weight reduction. *South Med J*. 1998;91(12):1143–48.
 10. Lindsey ML, Patterson WL, Gesten FC, et al. Bariatric surgery for obesity: surgical approach and variation in in-hospital complications in New York State. *Obes Surg*. 2009 Jun;19(6):688–700; Choi Y, Frizzi J, Foley A, Harkabus M. Patient satisfaction and results of vertical banded gastroplasty and gastric bypass. *Obes Surg*. 1999;9(1):33–35; *Guidance for treatment of adult obesity*. 2nd ed. Bethesda, Md.: Shape Up America! and the American Obesity Association; 1998.
 11. Clinical guidelines on the identification, evaluation, and treatment of overweight and obesity in adults. National Heart, Lung, and Blood Institute reprint. Bethesda, Md.: National Institutes of Health; 1998.
 12. Samaras K, Kelly PJ, Chiano MN, et al. Genetic and environmental influences on total-body and central abdominal fat: the effect of physical activity in female twins. *Ann Intern Med*. 1999;130(11):873–82.
 13. Maynard M, Gunnell D, Emmett P, et al. Fruit, vegetables, and antioxidants in childhood and risk of adult cancer: the Boyd Orr cohort. *J Epidemiol Community Health*. 2003 Mar;57(3):218–25. Erratum in: *J Epidemiol Community Health*. 2007 Mar;61(3):271; Fuemmeler BF, Pendzich MK, Tercyak KP. Weight, dietary behavior, and physical activity in childhood and adolescence: implications for adult cancer risk. *Obes Facts*. 2009;2(3):179–186; Dieckmann KP, Hartmann JT, Classen J, et al. Tallness is associated with risk of testicular cancer: evidence for the nutrition hypothesis. *Br J Cancer*. 2008 Nov;4;99(9):1517–21; van der Pols JC, Bain C, Gunnell D, et al. Childhood dairy intake and adult cancer risk: 65-y follow-up of the Boyd Orr cohort. *Am J Clin Nutr*. 2007 Dec;86(6):1722–29; Michels KB, Rosner BA, Chumlea WC, et al. Preschool diet and adult risk of breast cancer. *Int J Cancer*. 2006 Feb 1;118(3):749–54; Stoll BA. Western diet, early puberty and breast cancer risk. *Breast Cancer Res Treat*. 1998; 49(3):187–93.
 14. Horinger P, Imoberdorf R. Junk food revolution or the cola colonization. *Ther Umsch*. 2000; 57(3):134–37.
 15. Hughes P, Murdock DK, Olson K, et al. School children have leading risk factors for cardiovascular disease and diabetes: the Wausau SCHOOL project. *WMJ*. 2006 Jul;105(5):32–39.
 16. Berenson GS, Wattigney WA, Tracey RE, et al. Atherosclerosis of the aorta and coronary arteries and cardiovascular risk factors in persons aged 6 to 30 years and studied at necropsy (the Bogalusa heart study). *Am J Cardiol*. 1992;70:851–58.
 17. Berenson GS, Srinivasan SR, Bao W, et al. Association between multiple cardiovascular risk factors and atherosclerosis in children and young adults. *N Eng J Med*. 1998;338:1650–56.

18. Viikari JS, Niinikoski H, Juonala M, et al. Risk factors for coronary heart disease in children and young adults. *Acta Paediatr Suppl.* 2004 Dec;93(446):34–42; Berenson GS. Childhood risk factors predict adult risk associated with subclinical cardiovascular disease. The Bogalusa Heart Study. *Am J Cardiol.* 2002 Nov 21;90(10C): 3L–7L.
19. Maynard M, Gunnell D, Emmett P, et al. Fruit, vegetables, and antioxidants in childhood and risk of adult cancer: the Boyd Orr cohort. *J Epidemiol Community Health.* 2003 Mar;57(3):218–25. Erratum in: *J Epidemiol Community Health.* 2007 Mar;61(3):271; Fuemmeler BF, Pendzich MK, Tercyak KP. Weight, dietary behavior, and physical activity in childhood and adolescence: implications for adult cancer risk. *Obes Facts.* 2009;2(3):179–86; Dieckmann KP, Hartmann JT, Classen J, et al. Tallness is associated with risk of testicular cancer: evidence for the nutrition hypothesis. *Br J Cancer.* 2008 Nov 4;99(9): 1517–21; van der Pols JC, Bain C, Gunnell D, et al. Childhood dairy intake and adult cancer risk: 65-y follow-up of the Boyd Orr cohort. *Am J Clin Nutr.* 2007 Dec;86(6): 1722–29; Michels KB, Rosner BA, Chumlea WC, et al. Preschool diet and adult risk of breast cancer. *Int J Cancer.* 2006 Feb 1;118(3):749–54; Stoll BA. Western diet, early puberty and breast cancer risk. *Breast Cancer Res Treat.* 1998; 49(3):187–93.
20. Ogden CL, Carroll MD, Curtin LR, et al. Prevalence of high body mass index in US children and adolescents, 2007–2008. *JAMA.* 2010;303(3): 235–41.
21. Van Itallie TB. Health implications of overweight and obesity in the United States. *Ann Int Med.* 1985;103:983–88.
22. Manson JE, Willett WC, Stampfer MJ, et al. Body weight and mortality among women. *N Eng J Med.* 1995;333:677–85.
23. Lee I, Manson JE, Hennekens CH, Paffenbarger RS. Body weight and mortality: a 27-year follow-up of middle-aged men. *JAMA.* 1993; 270(23):2823–28.
24. Manson JE, Stampfer MJ, Hennekens CH, et al. Body weight and longevity: a reassessment. *JAMA.* 1987;257:353–58.
25. Flegol KM, Carroll MD, Ogden CL, Curtin LR. Prevalence and trends in obesity among U.S. adults, 1999–2008. *JAMA.* 2010; 303(3):235–41.
26. Folsom AR, Kaye SA, Sellers TA, et al. Body fat distribution and 5-year risk of death in older women. *JAMA.* 1993;269(4):483–87.
27. Lane MA, Baer DJ, Rimpler WV, et al. Calorie restriction lowers body temperature in rhesus monkeys, consistent with a postulated anti-aging mechanism in rodents. *Proc Natl Acad Sci USA.* 1996;Apr30;93(9)4159–64.
28. Hansen BC, Bodkin NL, Ortmeyer HK. Calorie restriction in non-human primates: mechanism of reduced morbidity and mortality. *Toxicol Sci.* 1999;52(suppl 2):S56–60; Weindruch R. The retardation of aging by caloric restriction: studies in rodents and primates. *Toxicol Pathol.* 1996;24(6):742–45; Roth GS, Ingram DK, Lane MA. Caloric restriction in primates: will it work and how will we know? *J Am Geriatric Soc.* 1999;47(7):896–903; McCarter RJ. Role of caloric restriction in the prolongation of life. *Clin*

- Geriatr Med.* 1995; 11(4):553–65.
- Weindruch R, Lane MA, Ingram DK, et al. Dietary restriction in rhesus monkeys: lymphopenia and reduced nitrogen-induced proliferation in peripheral blood mononuclear cells. *Aging*. 1997;9(44):304–8; Frame LT, Hart RW, Leakey JE. Caloric restriction as a mechanism mediating resistance to environmental disease. *Environ Health Perspect.* 1998;106(suppl 1):S313–24; Masoro, EJ. Influence of caloric intake on aging and on the response to stressors. *J Toxicol Environ Health B Crit Rev.* 1998;1(3):243–57; Lane MA, Ingram DK, Roth GS. Calorie restriction in nonhuman primates: effects on diabetes and cardiovascular disease risk. *Toxicol Sci.* 1999; 52(suppl 2):S41–48.
29. Carroll KK. Experimental evidence of dietary factors and hormone-dependent cancers. *Cancer Res.* 1975;35:3374–83.
30. Fontana L, Weiss EP, Villareal DT, et al. Long-term effects of calorie or protein restriction on serum IGF-1 and IGFBP-3 concentration in humans. *Aging Cell.* 2008 Oct;7 (5):681–87.
31. Castro AM, Guerra-Júnior G. [GH/IGF-1 and cancer: what's new in this association]. *Arq Bras Endocrinol Metabol.* 2005 Oct; 49 (5):833–42; Papatsoris AG, Karamouzis MV, Papavassiliou AG. Novel insights into the implication of the IGF-1 network in prostate cancer. *Trends Mol Med.* 2005 Feb;11(2):52–55; Kaaks R. Nutrition, insulin, IGF-1 metabolism and cancer risk: a summary of epidemiological evidence. *Novartis Found Symp.* 2004;262: 247–60; discussion 260–68; Lønning PE, Helle SI. IGF-1 and breast cancer. *Novartis Found Symp.* 2004;262: 205–12; discussion 212–14, 265–68; Roberts CT Jr. IGF-1 and prostate cancer. *Novartis Found Symp.* 2004;262:193–99; discussion 199–204, 265–68.
32. Fontana L. The scientific basis of caloric restriction leading to longer life. *Curr Opin Gastroenterol.* 2009 Mar;25(2):144–50; Fontana L, Klein S. Aging, adiposity, and calorie restriction. *JAMA.* 2007 Mar 7;297(9):986–94.
33. Butler RN, Fossel M, Pan CX, et al. Anti-aging medicine: efficacy and safety of hormones and antioxidants. *Geriatrics.* 2000; 55:48–58.
34. Lawton CL, Burley VJ, Wales JK, Blundell JE. Dietary fat and appetite control in obese subjects: weak effects on satiation and satiety. *Int J Obes Metab Disord.* 1993;17(7):409–16; Blundell JE, Halford JC. Regulation of nutrient supply: the brain and appetite control. *Proc Nutr Soc.* 1994;53(2): 407–18; Stamler J, Dolecek TA. Relation of food and nutrient intakes to body mass in the special intervention and usual care groups on the Multiple Risk Factor Intervention Trial. *Am J Clin Nutr.* 1997;65(suppl 1):S366–73.
35. Mattes R. Dietary compensation by humans for supplemental energy provided as ethanol or carbohydrates in fluids. *Physiology Behav.* 1996;59:179–87.
36. Dennison BA, Rockwell HL, Baker SL. Excess fruit juice consumption by preschool-aged children is associated with short stature and obesity. *Pediatrics.* 1997;99(1):15–22; Dennison BA. Fruit juice consumption by infants and children:

- a review. *J Am Coll Nutr.* 1996;15 (suppl 5):S4–11.
37. Plymouth Colony. 2000. World Book Millennium.
 38. Weinsier RL, Nagy TR, Hunter GR, et al. Do adaptive changes in metabolic rate favor weight regain in weight-reduced individuals? An examination of the set-point theory. *Am J Clin Nutr.* 2000;72: 1088–94.

Глава 2: ПРЕЯЛИ, НО НЕДОХРАНЕНИ

1. Jedrychowski W, Maugeri U, Popiela T, et al. Case-control study on beneficial effect of regular consumption of apples on colorectal cancer risk in a population with relatively low intake of fruits and vegetables. *Eur J Cancer Prev.* 2010 Jan;19(1):42–47; Foschi R, Pelucchi C, Dal Maso L, et al. Citrus fruit and cancer risk in a network of case-control studies. *Cancer Causes Control.* 2009 Oct 24. [Epub ahead of print]; van Duijnhoven FJ, Bueno-de-Mesquita HB, Ferrari P, et al. Fruit, vegetables, and colorectal cancer risk: the European Prospective Investigation into Cancer and Nutrition. *Am J Clin Nutr.* 2009 May; 89(5):1441–52; Maynard M, Gunnell D, Emmett P, et al. Fruit, vegetables and antioxidants in childhood and risk of cancer: the Boyd Orr cohort. *J Epidemiol Community Health.* 2003 Mar;57(3):219–25; Hebert JR, Landon J, Miller DR. Consumption of meat and fruit in relation to oral and esophageal cancer: a cross-national study. *Nutr Cancer.* 1993; 19(2):169–79; Fraser GE. Association between diet and cancer, ischemic heart disease, and all-cause mortality in non-Hispanic white California Seventh-Day Adventists. *Am J Clin Nutr.* 1999; 70(3)(suppl):532–38; Block G, Patterson B, Subar A. Fruit, vegetable, and cancer prevention: a review of the epidemiological evidence. *Nutr Cancer.* 1992; 18(1):1–29.
2. Joseph JA, Shukitt-Hale B, Willis LM. Grape juice, berries, and walnuts affect brain aging and behavior. *J Nutr.* 2009 Sep;139(9) (suppl):S1813–17.
3. Cao G, Shukitt-Hale B, Bickford PC, et al. Hyperoxia-induced changes in antioxidant capacity and the effect of dietary antioxidants. *J Appl Physiol.* 1999;86(6):1817–22.
4. Hertog MG, Bueno-de-Mesquita HB, Fehily AM. Fruit and vegetable consumption and cancer mortality in Caerphilly Study. *Cancer Epidemiol Biomarkers Prevent.* 1996; 5(9):673–77.
5. Dietary Assessment of Major Trends in U.S. Food Consumption, 1970–2005. http://www.ers.usda.gov/Publications/EIB33/EIB33_Reportssummary.pdf.
6. Salmeron J, Manson JE, Stampfer MJ, et al. Dietary fiber, glycemic load, and risk of non-insulin-dependent diabetes mellitus in women. *JAMA.* 1997;277(6):472–77.
7. Salmeron J, Ascherio A, Rimm EB, et al. Dietary fiber, glycemic load, and risk of NIDDM in men. *Diabetes Care.* 1997;20(4):545–50.
8. Centers for Disease Control. National Diabetes Fact Sheet, 2007. http://www.cdc.gov/diabetes/pubs/pdf/ndfs_2007.pdf.
9. Sahyoun NR, Jacques PF, Zhang XL, et al. Whole-grain intake is

- inversely associated with the metabolic syndrome and mortality in older adults. *Am J Clin Nutr.* 2006 Jan;83(1):124–31.
10. Harland JI, Garton LE. Whole-grain intake as a marker of healthy body weight and adiposity. *Public Health Nutr.* 2008 Jun;11(6):554–63; van de Vijver LP, van den Bosch LM, van den Brandt PA, Goldbohm RA. Whole-grain consumption, dietary fibre intake and body mass index in the Netherlands cohort study. *Eur J Clin Nutr.* 2009 Jan;63(1):31–38; Jacobs DR, Marquart L, Slavin J, Kushi LH. Whole-grain intake and cancer: an expanded review and meta-analysis. *Nutr. Cancer.* 1998;30(2):85–96; Chatenoud L, Tavani A, La Vecchia C, et al. Whole-grain food intake and cancer risk. *Int J Cancer.* 1998;77(1):24–28.
 11. Jacobs DR Jr., Meyer KA, Kushi LH, et al. Whole-grain intake may reduce the risk of ischemic heart disease death in postmenopausal women: the Iowa Women's Health Study. *Am J Clin Nutr.* 1998;68:248–57.
 12. Prentice RL. Future possibilities in the prevention of breast cancer: fat and fiber and breast cancer research. *Breast Cancer Res.* 2000;2(4):268–76; Park Y, Brinton LA, Subar AF, et al. Dietary fiber intake and risk of breast cancer in postmenopausal women: the National Institutes of Health–AARP Diet and Health Study. *Am J Clin Nutr.* 2009 Sep;90(3):664–71; Suzuki R, Rylander-Rudqvist T, Ye W, et al. Dietary fiber intake and risk of postmenopausal breast cancer defined by estrogen and progesterone receptor status—a prospective cohort study among Swedish women. *Int J Cancer.* 2008 Jan 15;122(2):403–12; McEligot AJ, Largent J, Ziogas A, et al. Dietary fat, fiber, vegetable, and micronutrients are associated with overall survival in postmenopausal women diagnosed with breast cancer. *Nutr Cancer* 2006;55(2):132–40.
 13. La Vecchia C. Mediterranean diet and cancer. *Public Health Nutr.* 2004 Oct;7(7):965–68; Scharlau D, Borowicki A, Habermann N, et al. Mechanisms of primary cancer prevention by butyrate and other products formed during gut flora-mediated fermentation of dietary fibre. *Mutat Res.* 2009 Jul–Aug;682(1):39–53; Bordonaro M, Lazarova DL, Sartorelli AC. Butyrate and Wnt signaling: a possible solution to the puzzle of dietary fiber and colon cancer risk? *Cell Cycle* 2008 May 1;7(9):1178–83; Pisani P. Hyper-insulinaemia and cancer, meta-analyses of epidemiological studies. *Arch Physiol Biochem.* 2008 Feb;114(1):63–70; Larsson SC, Bergkvist L, Wolk A. Glycemic load, glycemic index and breast cancer risk in a prospective cohort of Swedish women. *Int J Cancer.* 2009 Jul 1;125(1):153–57; Wen W, Shu XO, Li H, et al. Dietary carbohydrates, fiber, and breast cancer risk in Chinese women. *Am J Clin Nutr.* 2009 Jan;89(1):283–89; Nettleton JA, Steffen LM, Loehr LR, et al. Incident heart failure is associated with lower whole-grain intake and greater high-fat dairy and egg intake in the Atherosclerosis Risk in Communities (ARIC) study. *J*

- Am Diet Assoc.* 2008 Nov;108(11):1881–87; de Munter JS, Hu FB, Spiegelman D, et al. Whole grain, bran, and germ intake and risk of type 2 diabetes: a prospective cohort study and systematic review. *PLoS Med.* 2007 Aug;4(8):e261; Mellen PB, Liese AD, Toozee JA, et al. Whole-grain intake and carotid artery atherosclerosis in a multiethnic cohort: the Insulin Resistance Atherosclerosis Study. *Am J Clin Nutr.* 2007 Jun;85(6):1495–502; Mellen PB, Walsh TF, Herrington DM. Whole grain intake and cardiovascular disease: a meta-analysis. *Nutr Metab Cardiovasc Dis.* 2008 May;18(4):283–90; Zhuo XG, Watanabe S. Factor analysis of digestive cancer mortality and food consumption in 65 Chinese counties. *J Epidemiol.* 1999; 4:275–84; Slattery ML, Benson J, Berry TD, et al. Dietary sugar and colon cancer. *Cancer Epidemiol Biomarkers Prevent.* 1997 Sep;6(9):677–85; Negri E, Bosetti C, La Vecchia C, et al. Risk factors for adenocarcinoma of the small intestine. *Int J Cancer.* 1999;82(2):171–74; Chatenoud L, La Vecchia C, Franceschi S, et al. Refined-cereal intake and risk of selected cancers in Italy. *Am J Clin Nutr.* 1999;70(6):1107–10.
14. Pennington JA Intakes of minerals from diets and foods: is there a need for concern? *J Nutr.* 1996; 126(suppl 9):S2304–8.
 15. Dargatz DA, Ross PF. Blood selenium concentration in cows and heifers on 253 cow-calf operations in 18 states. *J Anim Sci.* 1996;74(12):2891–95.
 16. Linardakis M, Sarri K, Pateraki MS, et al. Sugar-added beverages consumption among kindergarten children of Crete: effects on nutritional status and risk of obesity. *BMC Public Health.* 2008 Aug 6;8:279; Faith MS, Dennison BA, Edmunds LS, Stratton HH. Fruit juice intake predicts increased adiposity gain in children from low-income families: weight status-by-environment interaction. *Pediatrics.* 2006 Nov;118(5):2066–75.
 17. Dennison BA. Fruit juice consumption by infants and children: a review. *J Am Coll Nutr.* 1995;15(5)(suppl):S4–11.
 18. Ames BN. DNA damage from micronutrient deficiencies is likely to be a major cause of cancer. *Mutat Res.* 2001 Apr 18;475(1–2):7–20; Lonsdale D, Shamberger RJ. Red cell transketolase as an indicator of nutritional deficiency. *Am J Clin Nutr.* 1980;33:205–11; Lane BC. Myopia prevention and reversal: new data confirms the interaction of accommodative stress and deficit inducing nutrition. *J Int Acad Prev Med.* 1982;7(3):28.
 19. Dietary Assessment of Major Trends in U.S. Food Consumption, 1970–2005. http://www.ers.usda.gov/Publications/EIB33/EIB33_Reportsummary.pdf.
 20. Romanski SA, Nelson RM, Jensen MD. Meal fatty acid uptake in adipose tissue: gender effects in nonobese humans. *Am J Physiol Endocrinol Metab.* 2000;279(2):E445–62.
 21. Popp-Snijders C, Blonk MC. Omega-3 fatty acids in adipose tissue of obese patients with non-insulin dependent diabetes mellitus reflect long-term dietary intake of eicosapentaenoic and

- docosahexaenoic acid. *Am J Clin Nutr.* 1995;61(2):360–65.
22. Karalis IK, Alegakis AK, Kafatos AG, et al. Risk factors for ischaemic heart disease in a Cretan rural population: a twelve year follow-up study. *BMC Public Health.* 2007 Dec 18;7:351; Kafatos A, Diacatou A, Voukik G, et al. Heart disease risk factor status and dietary changes in the Cretan population over the past 30 years: the Seven Countries Study. *Am J Clin Nutr.* 1997;65(6):1882–86.
23. Katan MB, Grundy SM, Willett WC. Should a low-fat, high-carbohydrate diet be recommended for everyone? Beyond low-fat diets. *NEngJMed.* 1997;337(8):563–67.
24. Han JH, Yang YX, Feng MY. Contents of phytosterols in vegetables and fruits commonly consumed in China. *Biomed Environ Sci.* 2008 Dec;21(6):449–53; Chen CY, Blumberg JB. Phytochemical composition of nuts. *Asia Pac J Clin Nutr.* 2008;17 (suppl 1):S329–32; Ryan E, Galvin K, O'Connor TP, et al. Phytosterol, squalene, tocopherol content and fatty acid profile of selected seeds, grains, and legumes. *Plant Foods Hum Nutr.* 2007 Sep;62(3):85–91; Segura R, Javierre C, Lizarraga MA, Ros E. Other relevant components of nuts: phytosterols, folate and minerals. *Br J Nutr.* 2006 Nov;96 (suppl 2):S36–44.
25. Micheli A, Gatta G, Sant M, et al. Breast cancer prevalence measured by the Lombardy Cancer Registry. *Tumori.* 1997;83(6):875–79.
26. Link LB, Potter JD. Raw versus cooked vegetables and cancer risk. *Cancer Epidemiol Biomarkers Prevent.* 2004 Sep;13(9):1422–35; Rungapamestry V, Duncan AJ, Fuller Z, Ratcliffe B. Effect of cooking brassica vegetables on the subsequent hydrolysis and metabolic fate of glucosinolates. *Proc Nutr Soc.* 2007 Feb;66(1):69–81; Tang L, Zirpoli GR, Guru K, et al. Consumption of raw cruciferous vegetables is inversely associated with bladder cancer risk. *Cancer Epidemiol Biomarkers Prevent.* 2008 Apr;17(4): 938–44; Steinmetz KA, Potter JD. Vegetables, fruit and prevention: a review. *J Am Diet Assoc.* 1996; 96(10):1027–39; Hertog MG, Bueno-de-Mesquita HB, Fehily AM, et al. Fruit and vegetable in the Caerphilly Study. *Cancer Epidemiol Biomarkers Prevent.* 1996;5 (9):673–77; Block G, Patterson B, Subar A. Fruit, vegetables, and cancer: a review of the epidemiological evidence. *Nutr Cancer.* 1992;18(10):1–29; Steinmetz KA, Potter JD. Food-group consumption and colon cancer in the Adelaide Case-Control Study. I. Vegetables and fruit. *Int J Cancer.* 1993;53(5):711–19; Steinmetz KA, Potter JD. Vegetables, fruit and cancer. I. Epidemiology. *Cancer Causes Control.* 1991;2(5):325–57; Franceschi S, Parpinel M, La Vecchia C, et al. Role of different types of vegetables and fruit in the prevention of cancer of the colon, rectum, and breast. *Epidemiology.* 1998;9(3):338–41.
27. Linking plants to people: a visit to the laboratory of Dr. Paul Talalay. *American Institute for Cancer Research Newsletter.* 1995;46:10–11.
28. Douglass JM, Rasgon IM, Fleiss PM, et al. Effects of raw food diet on hypertension and obesity. *SouthMedJ.* 1995;78(7):841–44.

29. Prochaska LJ, Piekutowski WV. On the synergistic effects of enzymes in food with enzymes in the human body. A literature survey and analytical report. *Med Hypotheses*. 1994;42(6):355–62.
30. Rumm-Kreuter D, Demmel I. Comparison of vitamin losses in vegetables due to various cooking methods. *J Nutr Sci Vitaminol*. 1990;36(suppl):S7–15.
31. Kimura M, Itokawa Y. Cooking losses of minerals in foods and its nutritional significance. *J Nutr Sci Vitaminol*. 1990;36(suppl 1):25–32.
32. Franceschi S. Nutrients and food groups and large bowel cancer in Europe. *Eur J Cancer Prev*. 1999;9(suppl 1):S49–52.
33. Bazzano LA. Effects of soluble dietary fiber on low-density lipoprotein cholesterol and coronary heart disease risk. *Curr Atheroscler Rep*. 2008 Dec;10(6):473–77.
34. Schatzkin A, Lanza E, Corle D. Lack of effect of a low-fat, high-fiber diet on the recurrence of colorectal adenomas. *New Eng J Med*. 2000;342:1149–55; Alberts DS, Martinez ME, Roe DJ, et al. Lack of effect of a high-fiber cereal supplement on the recurrence of colorectal adenomas. *New Eng J Med*. 2000;342:1156–62.
35. Byers T. Diet, colorectal adenomas, and colorectal cancer (editorial). *New Eng J Med*. 2000;342(16):1206–7.
36. Ludwig DS, Pereira MA, Kroenke CH, et al. Dietary fiber, weight gain and cardiovascular disease risk factors in young adults. *JAMA*. 1999;282(16):1539–46.
- Глава 3: ФИТОХИМИКАЛИТЕ**
1. USDA Economic Research Service. Loss-Adjusted Food Availability. <http://www.ers.usda.gov/Data/FoodConsumption/Food-GuideIndex.htm>.
 2. Williams CD, Satia JA, Adair LS, et al. Dietary patterns, food groups, and rectal cancer risk in whites and African-Americans. *Cancer Epidemiol Biomarkers Prevent*. 2009 May;18(5):1552–61; Flood A, Rastogi T, Wirfält E, et al. Dietary patterns as identified by factor analysis and colorectal cancer among middle-aged Americans. *Am J Clin Nutr*. 2008 Jul;88(1):176–84.
 3. USDA Economic Research Service. Dietary Assessment of Major Trends in U.S. Food Consumption, 1970–2005. <http://www.ers.usda.gov/publications/EIB33>; USDA Economic Research Service. Loss-Adjusted Food Availability. <http://www.ers.usda.gov/Data/FoodConsumption/FoodGuideIndex.htm#calories>.
 4. USDA Food Availability (per capita) Data System. <http://www.ers.usda.gov/amberwaves/February05/findings/cheeseconsumption.htm>.
 5. Agudo A, Cabrera L, Amiano P, et al. Fruit and vegetable intakes, dietary antioxidant nutrients, and total mortality in Spanish adults: findings from the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC-Spain). *Am J Clin Nutr*. 2007 Jun;85(6):1634–42; Nagura J, Iso H, Watanabe Y, et al. Fruit, vegetable and bean intake and mortality from cardiovascular disease among Japanese men and women: the JACC Study. *Br J Nutr*.

- 2009 Jul;102(2):285-92; Tobias M, Turley M, Stefanogiannis N, et al. Vegetable and fruit intake and mortality from chronic disease in New Zealand. *Aust N Z J Public Health*. 2006 Feb;30(1): 26–31.
6. Heron M, Tejada-Vera B. Deaths: Leading Causes for 2005. *National Vital Statistics Reports*. 2009;58(8). Available online at http://www.cdc.gov/nchs/data/nvsr/nvsr58/nvsr58_08.pdf.
 7. USDA Economic Research Service. Loss-Adjusted Food Availability. <http://www.ers.usda.gov/Data/FoodConsumption/FoodGuideIndex.htm>.
 8. Original chart: data compiled from 1960s mortality data from the World Health Organization and National Institutes of Health (no longer available online), food balance sheets from the Food and Agriculture Organization of the United Nations (<http://faostat.fao.org/site/368/default.aspx#anchor>), and communication with health authorities in several of the countries listed.
 9. Radhika G, Sudha V, Mohan Sathya R, et al. Association of fruit and vegetable intake with cardiovascular risk factors in urban south Indians. *Br J Nutr*. 2008 Feb;99(2):398–405; Nöthlings U, Schulze MB, Weikert C, et al. Intake of vegetables, legumes, and fruit, and risk for all-cause, cardiovascular, and cancer mortality in a European diabetic population. *J Nutr*. 2008 Apr;138(4): 775–81.
 10. Zhang CX, Ho SC, Chen YM, et al. Greater vegetable and fruit intake is associated with a lower risk of breast cancer among Chinese women. *Int J Cancer*. 2009 Jul 1;125(1):181–188; Sandoval M, Font R, Mañós M, et al. The role of vegetable and fruit consumption and other habits on survival following the diagnosis of oral cancer: a prospective study in Spain. *Int J Oral Maxillofac Surg*. 2009 Jan;38(1):31–139; Nomura AM, Wilkens LR, Murphy SP, et al. Association of vegetable, fruit, and grain intakes with colorectal cancer: the Multiethnic Cohort Study. *Am J Clin Nutr*. 2008 Sep;88(3): 730–137; Kirsh VA, Peters U, Mayne ST, et al. Prostate, Lung, Colorectal and Ovarian Cancer Screening Trial. Prospective study of fruit and vegetable intake and risk of prostate cancer. *J Natl Cancer Inst*. 2007 Aug 1;99(15):1200–9; Satia-Abouta J, Galanko JA, Martin CF, et al. Food groups and colon cancer risk in African-Americans and Caucasians. *Int J Cancer*. 2004 May 1;109(5):728–136; Franceschi S, Parpinel M, La Vecchia C, et al. Role of different types of vegetables and fruit in the prevention of cancer of the colon, rectum and breast. *Epidemiology*. 1998;9(3):338–41; Van Den Brandt PA. Nutrition and cancer: causative, protective, and therapeutic aspects. *Ned Tijdschr Geneesk*. 1999;143(27):1414–20; Fraser GE. Association between diet and cancer, ischemic heart disease, and all-cause mortality in non-Hispanic white California Seventh-Day Adventists. *Am J Clin Nutr*. 1999;70(Suppl 3):S532-38.
 11. Bjelakovic G, Nikolova D, Gluud LL, et al. Mortality in randomized trials of antioxidant supplements for primary and secondary pre-

- vention: systematic review and meta-analysis. *JAMA*. 2007 Feb 28;297(8):842–57.
12. Goodman GE. Prevention of lung cancer. *Curr Opin Oncol*. 1998; 10(2):122–26.
 13. Omenn GS, Goodman GE, Thornquist MD, et al. Effects of a combination of beta carotene and vitamin A on lung cancer and cardiovascular disease. *N Eng J Med*. 1996;334(18):1150–55; Hennekens CH, Buring JE, Manson JE, et al. Lack of effect of long-term supplementation with beta-carotene on the incidence of malignant neoplasms and cardiovascular disease. *N Eng J Med*. 1996;334(18):1145–49.
 14. Albanes D, Heinonen OP, Taylor PR, et al. Alpha-tocopherol and beta-carotene supplements lung cancer incidence in the alpha-tocopherol, beta-carotene prevention study: effects of baseline characteristics and study compliance. *J Natl Cancer Inst*. 1996; 8(21):1560–70; Rapola JM, Virtamo J, Ripatti S, et al. Randomized trial of alpha-tocopherol and beta-carotene supplements on incidence of major coronary events in men with previous myocardial infarction. *Lancet*. 1997; 349(9067):1715–20.
 15. Bjelakovic G, Nikolova D, Gluud LL, et al. Mortality in randomized trials of antioxidant supplements for primary and secondary prevention: systematic review and meta-analysis. *JAMA*. 2007 Feb 28;297(8):842–57.
 16. Nelson NJ. Is chemoprevention research overrated or underfunded? *Primary Care and Cancer*. 1996;16(8):29.
 17. Cohen JH, Kristal AR, Stanford JL. Fruit and vegetable intakes and prostate cancer risk. *J Natl Cancer Inst*. 2000;92(1):61–68.
 18. Forte A, De Sanctis R, Leonetti G, et al. Dietary chemoprevention of colorectal cancer. *Ann Ital Chir*. 2008 Jul–Aug;79(4):261–67; Harikumar KB, Aggarwal BB. Resveratrol: a multitargeted agent for age-associated chronic diseases. *Cell Cycle*. 2008 Apr 15;7(8):1020–35; Juge N, Mithen RF, Traka M. Molecular basis for chemoprevention by sulforaphane: a comprehensive review. *Cell Mol Life Sci*. 2007 May;64(9):1105–27; Lee ER, Kang GH, Cho SG. Effect of flavonoids on human health: old subjects but new challenges. *Recent Pat Biotechnol*. 2007;1(2):139–50; Messina M, Kucuk O, Lampe JW. An overview of the health effects of isoflavones with an emphasis on prostate cancer risk and prostate-specific antigen levels. *J AOAC Int*. 2006 Jul–Aug;89(4):1121–34.
 19. Roa I, Araya JC, Villaseca M, et al. Preneoplastic lesions and gallbladder cancer: an estimate of the period required for progression. *Gastroenterology*. 1996;111(1):232–36; Kashayap V, Das BC. DNA aneuploidy and infection of human papillomavirus type 16 in preneoplastic lesions of the uterine cervix: correlation with progression to malignancy. *Cancer Lett*. 1998;123(1):47–52.
 20. Higdon JV, Delage B, Williams DE, Dashwood RH. Cruciferous vegetables and human cancer risk: epidemiologic evidence and mechanistic basis. *Pharmacol Res*. 2007 Mar; 55(3):224–36; Srivastava SK, Xiao D, Lew KL, et al. Allyl

- isothiocyanate, a constituent of cruciferous vegetables, inhibits growth of PC-3 human prostate cancer xenografts in vivo. *Carcinogenesis*. 2003 Oct;24(10):1665–70; Rose P, Huang Q, Ong CN, Whiteman M. Broccoli and watercress suppress matrix metalloproteinase-9 activity and invasiveness of human MDA-MB-231 breast cancer cells. *Toxicol Appl Pharmacol*. 2005 Dec 1;209(2):105–13; Ray A. Cancer preventive role of selected dietary factors. *Indian J Cancer*. 2005 Jan–Mar;42(1):15–24; Keck AS, Finley JW. Cruciferous vegetables: cancer protective mechanisms of glucosinolate hydrolysis products and selenium. *Integr Cancer Ther*. 2004 Mar;3(1):5–12; Seow A, Yuan JM, Sun CL, et al. Dietary isothiocyanates, glutathione S-transferase polymorphisms and colorectal cancer risk in the Singapore Chinese Health Study. *Carcinogenesis*. 2002 Dec;23(12):2055–61; Johnston N. Sulforaphane halts breast cancer cell growth. *Drug Discov Today*. 2004 Nov 1;9(21):908.
21. Based on USDA standard reference data for broiled porterhouse steak and chopped frozen broccoli.
 22. Nutritionist Pro Nutrition Analysis Software, Versions 2.5, 3.1, Axxya Systems, Stafford TX, 2006. Based on USDA standard reference data for cooked frozen broccoli, broiled porterhouse steak, chopped romaine lettuce, and boiled kale.
 23. Kahn HA, Phillips RL, Snowdon DA, Choi W. Association between reported diet and all-cause mortality: twenty-one-year follow-up on 27,530 adult Seventh Day Adventists. *Am J Epidemiol*. 1984; 119(5):775–87.
 24. Steinmetz KA, Potter JD. Vegetables, fruit and cancer prevention: a review. *J Am Diet Assoc*. 1996;96: 1027–39.
 25. A pyramid topples at the USDA. *Consumer Reports*. 1991 Oct: 663–66.
 26. Harris W. *The scientific basis of vegetarianism*. Honolulu: Hawaii Health Publishers, 1995. pp. 101–6.
 27. Hausman, P. *Jack Sprat's legacy: the science and politics of fat and cholesterol*. New York: Center for Science in the Public Interest; 1981.
 28. USDA Fiscal Year 2007 Budget of the U.S. Government: Mid-Session Review. http://www.fsa.usda.gov/Internet/FSA_File/07_midsessionrev.pdf.
 29. Hebert JR, Hurley TG, Olendzki BC, et al. Nutritional and socioeconomic factors in relation to prostate cancer mortality: a cross national study. *J Natl Cancer Inst*. 1998;90(21):1637–47.
- Глава 4: ТЪМНАТА СТРАНА НА ПРОТЕИНИТЕ ОТ ЖИВОТИНСКИ ПРОИЗХОД**
1. Brody J. Huge study of diet indicts fat and meat. *New York Times*. 1990 May 8: Science Times:1.
 2. Chen J, Campbell TC, Li J, Peto R. *Diet, life-style and mortality in China: a study of the characteristics of 65 Chinese counties*. Oxford: Oxford University Press; 1990. p. 894.
 3. Campbell TC, Parpia B, Chen J. Diet, lifestyle, and the etiology of coronary artery disease: the Cornell China Study. *Am J Cardiol*. 1998;82(10B):18–21T.

4. Thiébaud AC, Jiao L, Silverman DT, et al. Dietary fatty acids and pancreatic cancer in the NIH-AARP diet and health study. *J Natl Cancer Inst.* 2009 Jul 15;101(14):1001–11; Brock KE, Gridley G, Chiu BC, et al. Dietary fat and risk of renal cell carcinoma in the USA: a case-control study. *Br J Nutr.* 2009 Apr;101(8):1228–38; Sieri S, Krogh V, Ferrari P, et al. Dietary fat and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. *Am J Clin Nutr.* 2008 Nov;88(5):1304–12; Jakobsen MU, O'Reilly EJ, Heitmann BL, et al. Major types of dietary fat and risk of coronary heart disease: a pooled analysis of 11 cohort studies. *Am J Clin Nutr.* 2009 May;89(5):1425–32; Wiviott SD, Cannon CP. Update on lipid-lowering therapy and LDL-cholesterol targets. *Nat Clin Pract Cardiovasc Med.* 2006 Aug;3(8):424–36; Simopoulos AP. The omega-6/omega-3 fatty acid ratio, genetic variation, and cardiovascular disease. *Asia Pac J Clin Nutr.* 2008;17 (suppl 1): 131–134; Simopoulos AP. Evolutionary aspects of diet, the omega-6/omega-3 ratio and genetic variation: nutritional implications for chronic diseases. *Biomed Pharmacother.* 2006 Nov;60(9):502–7.
5. Castro AM, Guerra-Júnior G. [GH/IGF-1 and cancer: what's new in this association]. *Arq Bras Endocrinol Metabol.* 2005 Oct;49(5):833–42; Papatsoris AG, Karamouzis MV, Papavassiliou AG. Novel insights into the implication of the IGF-1 network in prostate cancer. *Trends Mol Med.* 2005 Feb;11(2):52–55; Kaaks R. Nutrition, insulin, IGF-1 metabolism and cancer risk: a summary of epidemiological evidence. *Novartis Found Symp.* 2004;262:247–60; discussion 260–68; Lønning PE, Helle SI. IGF-1 and breast cancer. *Novartis Found Symp.* 2004;262: 205–12; discussion 212–14, 265–68; Roberts CT Jr. IGF-1 and prostate cancer. *Novartis Found Symp.* 2004;262:193–99; discussion 199–204, 265–68.
6. Campbell, TC, Parpia B, Chen J. A plant-enriched diet and long-term health, particularly in reference to China. *Hort Science.* 1990; 25(12):1512–14.
7. Andrikoula M, McDowell IF. The contribution of ApoB and ApoA1 measurements to cardiovascular risk assessment. *Diabetes Obes Metab.* 2008 Apr;10(4):271–78; Kampoli AM, Tousoulis D, Antoniadis C, Siasos G, Stefanadis C. Biomarkers of premature atherosclerosis. *Trends Mol Med.* 2009 Jul;15(7): 323–32.
8. Van Ee JH. Soy constituents: modes of action in low-density lipoprotein management. *Nutr Rev.* 2009 Apr;67(4):222–34; Kris-Etherton PM, Hu FB, Ros E, Sabaté J. The role of tree nuts and peanuts in the prevention of coronary heart disease: multiple potential mechanisms. *J Nutr.* 2008 Sep;138(9) (suppl):S1746–51; Harland JI, Haffner TA. Systematic review, meta-analysis and regression of randomised controlled trials reporting an association between an intake of circa 25 g soya protein per day and blood cholesterol. *Atherosclerosis.* 2008 Sep;200(1):

- 13–27; Plant-based proteins lower LDL and overall cholesterol. Plant-based proteins are higher in fiber, with far less fat and cholesterol than animal protein. *Duke Medicine Health News*. 2009 Sep; 15(9):3.
9. Singh PN, Fraser GE. Dietary risk factors for colon cancer in a low-risk population. *Am J Epidemiol*. 1998;148:761–74.
 10. U.S. Department of Agriculture. Agricultural Research Service. USDA National Nutrient Database for Standard Reference, release 13. 1999. Nutrient Data Laboratory home page, <http://www.nal.usda.gov/fnic/foodcomp>.
 11. Sinha R, Rothman N, Brown ED, et al. High concentrations of the carcinogen 2-amino-1-methyl-6-phenylimidazo-[4,5-b] pyridine (PhIP) occur in chicken but are dependent on the cooking method. *Cancer Res*. 1995;55(20):4516–19.
 12. Thomson B. Heterocyclic amine levels in cooked meat and the implication for New Zealanders. *Eur J Cancer Prev*. 1999; 8(3): 201–6.
 13. Davidson MH, Hunninghake D, Maki KC, et al. Comparison of the effects of lean red meat vs. lean white meat on serum lipid levels among free-living persons with hypercholesterolemia: a long-term, randomized clinical trial. *Arch Intern Med*. 1999;159(12): 1331–38.
 14. Campbell TC. Why China holds the key to your health. *Nutrition Advocate*. 1995;1(1):7–8.
 15. World Health Statistics Annual, 1999. Available online at <http://www.who.int/whosis>.
 16. Singh PN, Sabaté J, Fraser GE. Does low meat consumption increase life expectancy in humans? *Am J Clin Nutr*. 2003 Sep;78(suppl 3): S526–32; Fraser, GE, Lindsted KD, Beeson WL. Effect of risk factor values on lifetime risk of and age at first coronary event: the Adventist Health Study. *Am J Epidemiol*. 1995;142(7):746–58; Fraser, GE. Associations between diet and cancer, ischemic heart disease, and all-cause mortality in non-Hispanic white California Seventh-Day Adventists. *Am J Clin Nutr*. 1999;70 (suppl 3): S532–38.
 17. Willett, WC, Hunter DJ, Stampfer MJ, et al. Dietary fat and fiber in relation to risk of breast cancer: an eight-year follow-up. *JAMA*. 1992;268:2037–44.
 18. Campbell TC, Junshi C. Diet and chronic degenerative diseases: perspective from China. *Am J Clin Nutr*. 1994;59(suppl 5):-S1153–61.
 19. Key TJ, Thorogood AM, Appleby PN, Burr ML. Dietary habits and mortality in 11,000 vegetarians and health conscious people: results of a 17-year follow up. *BMJ*. 1996;313:775–79.
 20. Nelson NJ. Is chemo prevention research overrated or underfunded? *Primary Care and Cancer* 168: 29–30.
 21. Shu XO, Zheng Y, Cai H, et al. Soy food intake and breast cancer survival. *JAMA*. 2009 Dec 9;302(22): 2437–43; Hwang YW, Kim SY, Jee SH, et al. Soy food consumption and risk of prostate cancer: a meta-analysis of observational studies. *Nutr Cancer*. 2009;61(5): 598–606; Aune D, De Stefani E, Ronco A, et al. Legume intake

- and the risk of cancer: a multisite case-control study in Uruguay. *Cancer Causes Control*. 2009 Nov; 20(9):1605–15; Korde LA, Wu AH, Fears T, et al. Childhood soy intake and breast cancer risk in Asian American women. *Cancer Epidemiol Biomarkers Prevent*. 2009 Apr;18(4):1050–59; Park SY, Murphy SP, Wilkens LR, et al. Multiethnic Cohort Study. Legume and isoflavone intake and prostate cancer risk: the Multiethnic Cohort Study. *Int J Cancer*. 2008 Aug 15;123(4):927–32; Nöthlings U, Schulze MB, Weikert C, et al. Intake of vegetables, legumes, and fruit, and risk for all-cause, cardiovascular, and cancer mortality in a European diabetic population. *J Nutr*. 2008 Apr;138(4):775–81.
22. Chang-Claude J, Frentzel-Beyme R. Dietary and lifestyle determinants of mortality among German vegetarians. *Int J Epidemiol*. 1993;22(2):228–36; Kahn HA, Phillips RI, Snowdon DA, Choi W. Association between reported diet and all-cause mortality: twenty-one-year follow-up on 27,530 adult Seventh-Day Adventists. *Am J Epidemiol*. 1984;119(5):775–87; Nestle M. Animal v. plant foods in human diets and health: is the historical record unequivocal? *Proc Nutr Soc*. 1999;58(2): 211–28.
 23. Barnard ND, Nicholson A, Howard JL. The medical costs attributed to meat consumption. *Prev Med*. 1995;24:646–55; Segasothy M, Phillips PA. Vegetarian diet: panacea for modern lifestyle disease? *QJM*. 1999;92(9):531–44.
 24. Rucker C, Hoffman J. *The Seventh-Day Diet*. New York: Random House; 1991.
 25. Kahn HA, Phillips RI, Snowdon DA, Choi W. Association between reported diet and all-cause mortality: twenty-one-year follow-up on 27,530 adult Seventh-Day Adventists. *Am J Epidemiol*. 1984; 119(5):775–87.
 26. Rodriguez C, Calle EE, Tatheam LM, Wingo PA, et al. Family history of breast cancer as a predictor for fatal prostate cancer. *Epidemiology*. 1998;9(5):525–29.
 27. Russo J, Russo IH. Differentiation and breast cancer. *Medicina*. 1997; 57(suppl 2):81–91.
 28. Lautenbach A, Budde A, Wrann CD, et al. Obesity and the associated mediators leptin, estrogen and IGF-I enhance the cell proliferation and early tumorigenesis of breast cancer cells. *Nutr Cancer*. 2009;61(4):484–91; Pike MC, Spicer DV, Dahmouh L, Press MF. Estrogens, progestogens, normal breast cell proliferation, and breast cancer risk. *Epidemiol Rev*. 1993;15(1):17–35.
 29. Vandeloo MJ, Bruckers LM, Janssens JP. Effects of lifestyle on the onset of puberty as determinant for breast cancer. *Eur J Cancer Prev*. 2007 Feb;16(1):17–25; Hamilton AS, Mack TM. Puberty and genetic susceptibility to breast cancer in a case-control study in twins. *N Engl J Med*. 2003 Jun 5;348(23):2313–22; Leung AW, Mak J, Cheung PS, Epstein, RJ. Evidence for a programming effect of early menarche on the rise of breast cancer incidence in Hong Kong. *Cancer Detect Prev*. 2008;32(2):156–61.
 30. Anderson AS, Caswell S. Obesity

- management — an opportunity for cancer prevention. *Surgeon*. 2009 Oct;7(5):282–85; Brown KA, Simpson ER. Obesity and breast cancer: progress to understanding the relationship. *Cancer Res*. 2010 Jan 1;70(1):4–7.
31. Diamandis EP, Yu H. Does prostate cancer start at puberty? *J Clin Lab Anal*. 1996;10(6):468–69; Weir HK, Kreiger N, Marrett LD. Age at puberty and risk of testicular germ cell cancer. *Cancer Causes Control*. 1998;9(3):253–58; United Kingdom Testicular Cancer Study Group. Aetiology of testicular cancer: association with congenital abnormalities, age at puberty, infertility, and exercise. *BMJ*. 1994;308(6941):1393–99.
 32. Ross MH, Lustbader ED, Bras G. Dietary practices of early life and spontaneous tumors of the rat. *Nutr Cancer*. 1982;3(3):150–67.
 33. Tanner JM. Trend toward earlier menarche in London, Oslo, Copenhagen, the Netherlands and Hungary. *Nature*. 1973;243: 75–76.
 34. Beaton G. *Practical population indicators of health and nutrition*. World Health Organization monograph 1976;62:500.
 35. Register, UD, Sonneberg, JA. The vegetarian diet. *J Am Diet Assoc*. 1973;45:537; Hardinge MG, Sanchez A, Waters D, et al. Possible factors associated with the prevalence of acne vulgaris. *Fed Proc*. 1971;30:300.
 36. Cheek DB. Body composition, hormones, nutrition, and adolescent growth. In: Grumbach, MM, Brace, GD, Mayers, FE, editors. *Control of the onset of puberty*. New York: John Wiley and Sons; 1973. p. 424.
 37. Apter D, Reinila M, Vihko R. Some endocrine characteristics of early menarche, a risk factor for breast cancer, are preserved into adulthood. *Int J Cancer*. 1989; 44(5):783–87.
 38. Chiaffarino F, Parazzini F, LaVecchia C, et al. Diet and uterine myomas. *Obstet Gynecol*. 1999; 94(3):395–98.
 39. Kralj-Cercek L. The influence of food, body build, and social origin on the age of menarche. *Hum Bio*. 1956;28:393; Sanchez A, Kissinger DG, Phillips RI. A hypothesis on the etiological role of diet on age of menarche. *Med Hypotheses*. 1981; 7:1339–45.
 40. Burell RJW, Healy MJR, Tanner JM. Age at menarche in South African Bantu schoolgirls living in the Transkei reserve. *Hum Bio*. 1961;33: 250.
 41. Guo WD, Chow WH, Zheng W, et al. Diet, serum markers and breast cancer mortality in China. *Japan J Cancer Res*. 1994;85:572–77.
 42. Hill P, Garbeczewski L, Kasumi F. Plasma testosterone and breast cancer. *Eur J Cancer Clin Oncol*. 1985;21:1265–66.
 43. USDA Food Availability (Per Capita) Data System. <http://www.ers.usda.gov/amberwaves/february05/findings/CheeseConsumption.htm>.
 44. De Waard F, Trichopoulos D. A unifying concept of the aetiology of breast cancer. *Int J Cancer*. 1998;41:666–69.
 45. Decarli A, Favero A, La Vecchia C, et al. Macronutrients, energy intake, and breast cancer risk: implications from different models. *Epidemiology*. 1997;8:425–28.
 46. Nicholson A. Diet and the prevention and treatment of breast can-

- cer, *Altern Ther Health Med.* 1996; 2(6):32–38.
47. Wynder EL, Cohen LA, Muscat JE, et al. Breast cancer: weighing the evidence for a promoting role of dietary fat. *J Natl Cancer Inst.* 1997;89:766–75.
 48. Ross MH, Lustbader E, Bras G. Dietary practices and growth responses as predictors of longevity. *Nature.* 1976;262(5569):548–53.
 49. Comments in: Gunnell DJ, Smith GD, Holly JM, Frankel S. Leg length and risk of cancer in the Boyd Orr cohort. *BMJ.* 1998; 317(7169):1950–51.
 50. Cheng Z, Hu J, King J, Campbell TC. Inhibition of hepatocellular carcinoma development in hepatitis B virus transfected mice by low dietary casein. *Hepatology.* 1997;26(5):1351–54; Torosian MH. Effect of protein intake on tumor growth and cell cycle kinetics. *J Surg Res.* 1995;59(2):225–28; Youngman LD, Park JY, Ames BN. Protein oxidation associated with aging is reduced by dietary restriction of protein calories. *Proc Nat Acad Sci.* 1992;89(19):9112–16.
 51. Hebert JR, Hurley TG, Olendzki BC, et al. Nutritional and socioeconomic factors in relation to prostate cancer mortality: a cross-national study. *J Natl Cancer Inst.* 1998;90(21):1637–47.
 52. Frentzel-Beyme R, Chang-Claude J. Vegetarian diets and colon cancer: the German experience. *Am J Clin Nutr.* 1994; 59(suppl.): S1143–52.
 53. Berkel J, deWaard F. Mortality pattern and life expectancy of Seventh-Day Adventists in the Netherlands. *Int J Epidemiol.* 1983; 12:455–59; Phillips RL, Snowdon DA. Dietary relationships with fatal colorectal cancer among Seventh-Day Adventists. *J Natl Cancer Inst.* 1985;74:307–17.
 54. Corliss J. Pesticide metabolites linked to breast cancer. *J Natl Cancer Inst.* 1993;85:602.
 55. Dietary carcinogens linked to breast cancer. *Medical World News.* 1993 May:13.
 56. Fraser GE. Association between diet and cancer, ischemic heart disease, and all-cause mortality in non-Hispanic white California Seventh-Day Adventists. *Am J Clin Nutr.* 1999;70(suppl 3):S532–38; Sarasua S, Savitz DA. Cured and broiled meat consumption in relation to childhood cancer. *Cancer Causes Control.* 1994;5(2): 141–48; Favero A, Parpinel M, Franceschi S. Diet and risk of breast cancer: major findings from an Italian case-control study. *Biomed Pharmacother.* 1998;52(3): 109–15; Levi F, Pasche C, La Vecchia C, Lucchini F, Franceschi S. Food groups and colorectal cancer risk. *Br J Cancer.* 1999;79(7–8):1283–87; Steinmetz KA, Potter JD. Food-group consumption and colon cancer in the Adelaide Case-Control Study: meat, poultry, seafood, dairy foods and eggs. *Int J Cancer.* 1993;53(5):720–27; Levi F, Franceschi S, Negri E, La Vecchia C. Dietary factors and the risk of endometrial cancer. *Cancer.* 1993;71(11):3575–81; Negri E, Bosetti C, La Vecchia C, et al. Risk factors for adenocarcinoma of the small intestine. *Int J Cancer.* 1999;82(2):171–74; Chow WH, Gridley G, McLoughlin JK, et al. Protein intake and risk of renal

- cell cancer. *J Natl Cancer Inst.* 1994;86:1131–39; Kwiatkowski A. Dietary and other environmental risk factors in acute leukemias: a case-control study of 119 patients. *Eur J Cancer Prev.* 1993;2(2):139–46; National Institutes of Health. National Cancer Institute. *Cancer rates and risks: cancer death rates among 50 countries (age adjusted to the world standard)*. 4th ed. U.S. Department of Health and Human Services; 1996. Lung cancer, p. 39. Source: World Health Organization data as adapted by the American Cancer Society; Deneo-Pelligrini H, De Stefani E, Ronco A, et al. Meat consumption and risk of lung cancer; a case-control study from Uruguay. *Lung Cancer.* 1996;14(2–3):195–205; Zhang S, Hunter DJ, Rosner BA, et al. Greater intake of meats and fats associated with higher risk of non-Hodgkins lymphoma. *J Natl Cancer Inst.* 1999;91(20):1751–58; Cunningham AS. Lymphomas and animal-protein consumption. *Lancet.* 1976;27:1184–86; Franceschi S, Favero A, Conti E, et al. Food groups, oils and butter, and cancer of the oral cavity and pharynx. *Br J Cancer.* 1999;80(3–4): 614–20; Tominaga S, Aoki K, Fujimoto I, et al. *Cancer mortality and morbidity statistics. Japan and the world—1994*. Boca Raton, Fla.: CRC Press; 1994. p. 196; Soler M, Chatenoud L, La Vecchia C, et al. Diet, alcohol, coffee and pancreatic cancer: final results from an Italian study. *Eur J Cancer Prev.* 1998;7(6):455–60; Sung JF, Lin RS, Pu YS, et al. Risk factors for prostate carcinoma in Taiwan: a case-control study in a Chinese population. *Cancer.* 1999; 86(3):484–91; Black HS, Herd JA, Goldberg LH, et al. Effect of a low-fat diet on the incidence of actinic keratosis. *New Eng J Med.* 1994;330: 1272–75.
57. Peer PG, van Dijck JA, Hendriks JH, et al. Age dependent growth rate of primary breast cancer. *Cancer.* 1993;71(11):3547–51.
 58. Esserman L, Shieh Y, Thompson I. Rethinking screening for breast cancer and prostate cancer: *JAMA.* 2009 Oct 21;302(15):1685–92; Wright CJ, Mueller CB. Screening mammography and public health policy: the need for perspective. *Lancet.* 1995;346(8966):29–32; Neugut AI, Jacobson JS. The limitations of breast cancer screening for first-degree relatives of breast cancer patients. *Am J Public Health* 1995;85(6):832–34; Olsen O, Gotztsche PC. Cochrane review on screening for breast cancer with mammography. *Lancet.* 2001; 358:1340–42.
 59. Le Marchand L, Hankin JH, Bach F, et al. An ecological study of diet and lung cancer in the South Pacific. *Int J Cancer.* 1995; 63(1): 18–23.
 60. Gao CM, Tajima K, Kuroishi T, et al. Protective effects of raw vegetables and fruit against lung cancer among smokers and ex-smokers: a case-control study in the Tokai area of Japan. *Japan J Cancer Res.* 1993; 84(6):594–600.
 61. Verreault R, Brisson J, Deschenes L, et al. Dietary fat in relation to prognostic indicators in breast cancer. *J Natl Cancer Inst.* 1988;89: 819–25.
 62. Gregorio DI, Emrich LJ, Graham S, et al. Dietary fat consumption and survival among women with

- breast cancer. *J Natl Cancer Inst.* 1985;75:37–41.
63. Kwan ML, Weltzien E, Kushi LH, et al. Dietary patterns and breast cancer recurrence and survival among women with early-stage breast cancer. *J Clin Oncol.* 2009 Feb 20;27(6):919–26; Dal Maso L, Zucchetto A, Talamini R, et al. Effect of obesity and other lifestyle factors on mortality in women with breast cancer. *Int J Cancer.* 2008 Nov 1;123(9):2188–94; Kellen E, Vansant G, Christiaens MR, et al. Lifestyle changes and breast cancer prognosis: a review. *Breast Cancer Res Treat.* 2009 Mar;114(1):13–22.
 64. Berkow SE, Barnard ND, Saxe GA, Ankerberg-Nobis T. Diet and survival after prostate cancer diagnosis. *Nutr Rev.* 2007 Sep; 65(9):391–403.
 65. Giem P, Beeson WL, Fraser GE. The incidence of dementia and intake of animal products: preliminary findings from the Adventist Health Study. *Neuroepidemiology.* 1993;12:28–36.
 66. Wynn E, Krieg MA, Lanham-New SA, et al. Postgraduate symposium: positive influence of nutritional alkalinity on bone health. *Proc Nutr Soc.* 2010 Feb; 69(1):166–73; Siener R. Impact of dietary habits on stone incidence. *Urol Res.* 2006 Apr; 34(2):131–33; Motokawa M, Fukuda M, Muramatsu W, et al. Regional differences in end-stage renal disease and amount of protein intake in Japan. *J Ren Nutr.* 2007 Mar; 17(2):118–25; Frank H, Graf J, Amann-Gassner U, et al. Effect of short-term high-protein compared with normal-protein diets on renal hemodynamics and associated variables in healthy young men. *Am J Clin Nutr.* 2009 Dec; 90(6):1509–16; Blumenthal JA, Babyak MA, Hinderliter A, et al. Effects of the DASH diet alone and in combination with exercise and weight loss on blood pressure and cardiovascular biomarkers in men and women with high blood pressure: the ENCORE study. *Arch Intern Med.* 2010 Jan 25;170(2): 126–35; Todd AS, Macginley RJ, Schollum JB, et al. Dietary salt loading impairs arterial vascular reactivity. *Am J Clin Nutr.* 2010 Mar;91(3):557–64; Sluijs I, Beulens JW, van der A DL, et al. Dietary intake of total, animal, and vegetable protein and risk of type 2 diabetes in the European Prospective Investigation into Cancer and Nutrition (EPIC)-NL Study. *Diabetes Care.* Jan 2010; 33(1):43–48; Bogardus ST Jr. What do we know about diverticular disease? A brief overview. *J Clin Gastroenterol.* 2006 Aug;40 (suppl 3):S108–11; Chiaffarino F, Parazzini F, La Vecchia C, et al. Diet and uterine myomas. *Obstet Gynecol.* 1999 Sep;94(3):395–98; Nordoy A, Goodnight SH. Dietary lipids and thrombosis: relationship to atherosclerosis. *Arteriosclerosis.* 1990;10(2):149–63.
 67. Maggi S, Kelsey JL, Litvak J, Hayes SP. Incidence of hip fractures in the elderly: a cross-national analysis. *Osteoporosis Int.* 1991;1:232–41.
 68. Feskanich D, Willett WC, Stampfer MJ, Colditz GA. Milk, dietary calcium, and bone fractures in women: a 12-year prospective study. *Am J Public Health.* 1997;87:992–97.

69. Chen YM, Ho SC, Woo JL. Greater fruit and vegetable intake is associated with increased bone mass among postmenopausal Chinese women. *Br J Nutr.* 2006 Oct; 96(4):745–51; Prynne CJ, Mishra GD, O'Connell MA, et al. Fruit and vegetable intakes and bone mineral status: a cross sectional study in 5 age and sex cohorts. *Am J Clin Nutr.* 2006 Jun;83(6): 1420–28; McGartland CP, Robson PJ, Murray LJ, et al. Fruit and vegetable consumption and bone mineral density: the Northern Ireland Young Hearts Project. *Am J Clin Nutr.* 2004 Oct;80(4):1019–23; Tylavsky FA, Holliday K, Danish R, et al. Fruit and vegetable intakes are an independent predictor of bone size in early pubertal children. *Am J Clin Nutr.* 2004 Feb;79(2):311–17; Tucker KL, Hannan MT, Chen H, et al. Potassium, magnesium, and fruit and vegetable intakes are associated with greater bone mineral density in elderly men and women. *Am J Clin Nutr.* 1999;68(4):727–36.
70. Kerstetter JE, Wall DE, O'Brien KO, et al. Meat and soy protein affect calcium homeostasis in healthy women. *J Nutr.* 2006 Jul;136(7):1890–5; Massey LK. Dietary animal and plant protein and human bone health: a whole foods approach. *J Nutr.* 2003 Mar;133(3)(suppl): S862–65; Nowson CA, Patchett A, Wattanapenpaiboon N. The effects of a low-sodium base-producing diet including red meat compared with a high-carbohydrate, low-fat diet on bone turnover markers in women aged 45–75 years. *Br J Nutr.* 2009 Oct;102(8):1161–70; Teucher B, Dainty JR, Spinks CA. Sodium and bone health: impact of moderately high and low salt intakes on calcium metabolism in postmenopausal women. *J Bone Miner Res.* 2008 Sep;23(9):1477–85; Siener R, Schade N, Nicolay C, et al. The efficacy of dietary intervention on urinary risk factors for stone formation in recurrent calcium oxalate stone patients. *J Urol.* 2005 May;173(5):1601–5; Yildirim ZK, Büyükcavci M, Eren S, et al. Late side effects of high-dose steroid therapy on skeletal system in children with idiopathic thrombocytopenic purpura. *J Pediatr Hematol Oncol.* 2008 Oct;30(10): 749–53; Karner I, Hrgović Z, Sijanović S, et al. Bone mineral density changes and bone turnover in thyroid carcinoma patients treated with supraphysiologic doses of thyroxine. *Eur J Med Res.* 2005 Nov 16;10(11):480–88; Lim LS, Harnack LJ, Lazovich D, Folsom AR. Vitamin A intake and the risk of hip fracture in postmenopausal women: the Iowa Women's Health Study. *Osteoporos Int.* 2004 Jul;15(7): 552–59; Caire-Juvera G, Ritenbaugh C, Wactawski-Wende J, et al. Vitamin A and retinol intakes and the risk of fractures among participants of the Women's Health Initiative Observational Study. *Am J Clin Nutr.* 2009 Jan;89(1):323–30; Massey LK, Whiting SJ. Caffeine, urinary calcium, calcium metabolism and bone. *J Nutr.* 1993 Sep;123(9):1611–14; Harris SS, Dawson-Hughes B. Caffeine and bone loss in healthy postmenopausal women. *Am J Clin Nutr.* 1994;60(4):573–78; Nguyen NU,

- Dumoulin G, Wolf JP, Berthelay S. Urinary calcium and oxalate excretion during oral fructose or glucose load in man. *Horm Metab Res.* 1989;21(2):96–99; Sampson HW. Alcohol, osteoporosis, and bone regulating hormones. *Alcohol Clin Exp Res.* 1997;21(3):400–3; Wolinsky-Friedland M. Drug-induced metabolic bone disease. *Endocrinol Metab Clin North Am.* 1995;24(2):395–420; Melhus H, Michaelson K, Kindmark A, et al. Excessive dietary intake of vitamin A is associated with reduced bone mineral density and increased risk of hip fracture. *Ann Intern Med.* 1998;129(10):770–78.
71. Sellmeyer DE, Stone KL, Sebastian A, Cummings SR. A high ratio of dietary animal to vegetable protein increases the rate of bone loss and the risk of fracture in postmenopausal women: study of Osteoporotic Fractures Research Group. *Am J Clin Nutr.* 2001 Jan;73(1):118–22.
 72. Jajoo R, Song L, Rasmussen H, et al. Dietary acid-base balance, bone resorption, and calcium excretion. *J Am Coll Nutr.* 2006 Jun; 25(3): 224–30; Nowson CA, Patchett A, Wattanapenpaiboon N. The effects of a low-sodium base-producing diet including red meat compared with a high-carbohydrate, low-fat diet on bone turnover markers in women aged 45–75 years. *Br J Nutr.* 2009 Oct;102(8):1161–70; Barzel US, Massey LK. Excess dietary protein can adversely affect bone. *J Nutr.* 1998;128(6): 1051–53; Remer T, Mantz F. Estimation of the renal net acid excretion by adults consuming diets containing variable amounts of protein. *Am J Clin Nutr.* 1994;59: 1356–61.
 73. Feskanich D, Willett WC, Stampfer MJ, Colditz GA. Milk, dietary calcium, and bone fractures in women: a 12-year prospective study. *Am J Public Health.* 1997;87: 992–97.
 74. Abelow BJ, Holford TR, Insogna KL. Cross-cultural association between dietary animal protein and hip fracture: a hypothesis. *Calcif Tissue Int.* 1992;50(1):14–18.
 75. Wynn E, Krieg MA, Lanham-New SA, et al. Postgraduate symposium: positive influence of nutritional alkalinity on bone health. *Proc Nutr Soc.* 2010 Feb; 69(1):166–73.
 76. Dawson-Hughes B. Interaction of dietary calcium and protein in bone health in humans. *J Nutr.* 2003 Mar;133(3) (suppl):S852–54; Dawson-Hughes B. Calcium and protein in bone health. *Proc Nutr Soc.* 2003 May;62(2):505–9.
 77. Whiting SJ, Lemke B. Excess retinol intake may explain the high incidence of osteoporosis in northern Europe. *Nutr Rev.* 1999;57(6): 192–95.
 78. Mazess RB, Mather W. Bone mineral content of North Alaskan Eskimos. *Am J Clin Nutr.* 1997; 27(9):916–25; Pawson IG. Radiographic determination of excessive bone loss in Alaskan Eskimos. *Hum Biol.* 1974;46(3):369–80.
 79. Weaver CM. Choices for achieving adequate dietary calcium with a vegetarian diet. *Am J Clin Nutr.* 1999;70(suppl):S543–48.
 80. Tucker KL. Osteoporosis prevention and nutrition. *Curr Osteoporos Rep.* 2009 Dec;7(4):111–17; Lanou AJ. Should dairy be recommended

- as part of a healthy vegetarian diet? Counterpoint. *Am J Clin Nutr.* 2009 May;89(5)(suppl): S1638–42; Yang Z, Zhang Z, Penniston KL, et al. Serum carotenoid concentrations in postmenopausal women from the United States with and without osteoporosis. *Int J Vitam Nutr Res.* 2008 May; 78(3): 105–11; Tucker KL, Hannan MT, Chen H, et al. Potassium, magnesium, and fruit and vegetable intakes are associated with greater mineral density in elderly men and women. *Am J Clin Nutr.* 1999;69(4):727–36; New SA, Robins SP, Campbell MK, et al. Dietary influences on bone mass and bone metabolism: further evidence of a positive link between fruit and vegetable consumption and bone health? *Am J Clin Nutr.* 2000;71(1):142–51.
81. Bügel S. Vitamin K and bone health in adult humans. *Vitam Horm.* 2008;78:393–416; Feskanich D, Weber P, Willett WC, et al. Vitamin K intake and hip fractures in women: a prospective study. *Am J Clin Nutr.* 1999; 69(1):74–79.
82. Bischoff-Ferrari H. Vitamin D: what is an adequate vitamin D level and how much supplementation is necessary? *Best Pract Res Clin Rheumatol.* 2009 Dec;23(6): 789–95.
83. Reginster J. The high prevalence of inadequate serum vitamin D levels and implications for bone health. *Curr Med Res Opin.* 2005; 21(4):579–85.
84. Bischoff-Ferrari HA, Willett WC, Wong JB, et al. Fracture prevention with vitamin D supplementation: a meta-analysis of randomized controlled trials. *JAMA.* 2005;292 (18):2257–64.
85. Jain P, Jain P, Bhandari S, Siddhu A. A case-control study of risk factors for coronary heart disease in urban Indian middle-aged males. *Indian Heart J.* 2008 May–Jun;60(3):233–40; Grant WB. Milk and other dietary influences on coronary heart disease. *Altern Med Rev.* 1998;3:281–94; Segall JJ. Epidemiological evidence for the link between dietary lactose and atherosclerosis. In: Colaco, C., editor. *The glycation hypothesis of atherosclerosis.* Austin, Tex.: Landes Bioscience; 1997. pp. 185–209; Artad-Wild SM, Connor SL, Sexton G, et al. Differences in coronary mortality can be explained by differences in cholesterol and saturated fat intakes in 40 countries but not in France and Finland: a paradox. *Circulation.* 1993; 88:2771–79.
86. Keszei AP, Schouten LJ, Goldbohm RA, et al. Dairy intake and the risk of bladder cancer in the Netherlands Cohort Study on Diet and Cancer. *Am J Epidemiol.* 2009 Dec 30; Kurahashi N, Inoue M, Iwasaki M, et al. Dairy product, saturated fatty acid, and calcium intake and prostate cancer in a prospective cohort of Japanese men. *Cancer Epidemiol Biomarkers Prevent.* 2008 Apr;17(4):930–37; van der Pols JC, Bain C, Gunnell D, et al. Childhood dairy intake and adult cancer risk: 65-y follow-up of the Boyd Orr cohort. *Am J Clin Nutr.* 2007 Dec;86(6): 1722–29; Park Y, Mitrou PN, Kipnis V, et al. Calcium, dairy foods, and risk of incident and fatal prostate cancer: the NIH-AARP

- Diet and Health Study. *Am J Epidemiol*. 2007 Dec 1;166(11):1270–79; Rohrmann S, Platz EA, Kavanaugh CJ, et al. Meat and dairy consumption and subsequent risk of prostate cancer in a US cohort study. *Cancer Causes Control*. 2007 Feb;18(1):41–50; Davies TW, Palmer CR, Ruja E, Lipscombe JM. Adolescent milk, dairy products and fruit consumption and testicular cancer. *Br J Cancer*. 1996; 74(4):657–60.
87. Charnley G, Doull J. Human exposure to dioxins from food, 1999–2002. *Food Chem Toxicol*. 2005 May;43(5):671–79.
 88. U.S. Environmental Protection Agency. National Center for Environmental Assessment. Dioxin. <http://cfpub.epa.gov/ncea/CFM/nceaQFind.cfm?keyword=Dioxin>; Skrzycki C, Warrick J. EPA report ratchets up dioxin peril. *Washington Post* 2000 May 17.
 89. Welch AA, Mulligan A, Bingham SA, et al. Urine pH is an indicator of dietary acid-base load, fruit and vegetables and meat intakes: results from the European Prospective Investigation into Cancer and Nutrition (EPIC)–Norfolk population study. *Br J Nutr*. 2008 Jun;99(6):1335–43; Alexy U, Kersting M, Remer T. Potential renal acid load in the diet of children and adolescents: impact of food groups, age and time trends. *Public Health Nutr*. 2008 Mar; 11(3): 300–6.
 90. Ma RW, Chapman K. A systematic review of the effect of diet in prostate cancer prevention and treatment. *J Hum Nutr Diet*. 2009 Jun;22(3):187–99; quiz 200–2; Kurahashi N, Inoue M, Iwasaki M. Dairy product, saturated fatty acid, and calcium intake and prostate cancer in a prospective cohort of Japanese men. *Cancer Epidemiol Biomarkers Prevent*. 2008 Apr;17(4):930–37; Allen NE, Key TJ, Appleby PN, et al. Animal foods, protein, calcium and prostate cancer risk: the European Prospective Investigation into Cancer and Nutrition. *Br J Cancer*. 2008 May 6;98(9):1574–81; Ahn J, Albanes D, Peters U, et al. Dairy products, calcium intake, and risk of prostate cancer in the prostate, lung, colorectal, and ovarian cancer screening trial. *Cancer Epidemiol Biomarkers Prevent*. 2007 Dec;16(12):2623–30; Qin LQ, Xu JY, Wang PY, et al. Milk consumption is a risk factor for prostate cancer in Western countries: evidence from cohort studies. *Asia Pac J Clin Nutr*. 2007;16(3):467–76; Ganmaa D, Sato A. The possible role of female sex hormones in milk from pregnant cows in the development of breast, ovarian and corpus uteri cancers. *Med Hypotheses*. 2005;65(6):1028–37; Genkinger JM, Hunter DJ, Spiegelman D, et al. Dairy products and ovarian cancer: a pooled analysis of 12 cohort studies. *Cancer Epidemiol Biomarkers Prevent*. 2006 Feb;15(2):364–72; Larsson SC, Orsini N, Wolk A. Milk, milk products and lactose intake and ovarian cancer risk: a meta-analysis of epidemiological studies. *Int J Cancer*. 2006 Jan 15; 118(2):431–41; Qin LQ, Xu JY, Wang PY, et al. Milk/dairy products consumption, galactose metabolism and ovarian cancer: meta-analysis of epidemiological

- studies. *Eur J Cancer Prev.* 2005 Feb;14(1):13–19; Larsson SC, Bergkvist L, Wolk A. Milk and lactose intakes and ovarian cancer risk in the Swedish Mammography Cohort. *Am J Clin Nutr.* 2004 Nov;80(5):1353–57; Fairfield KM, Hunter DJ, Colditz GA, et al. A prospective study of dietary lactose and ovarian cancer. *Int J Cancer.* 2004 Jun 10;110(2):271–77.
91. Chan JM, Stampfer MJ, Ma J, et al. Dairy products, calcium, and prostate cancer risk in the Physicians' Health Study. Presentation. American Association for Cancer Research, San Francisco, April 2000.
92. Bosetti C, Tzonou A, Laggiou P, et al. Fraction of prostate cancer attributed to diet in Athens, Greece. *Eur J Cancer Prev.* 2000; 9(2):119–23.
93. Tseng M, Breslow RA, Graubard BI, Ziegler RG. Dairy, calcium and vitamin D intakes and prostate cancer risk in the National Health and Nutrition Examination Epidemiologic Follow-up Study cohort. *Am J Clin Nutr.* 2005;(81)1147–54. Park S, Murphy S, Wilkens L, Stram D, et al. Calcium, vitamin D, and dairy product intake and prostate cancer risk: the Multiethnic Cohort Study. *Am J Epidemiol.* 2007;166(11) 1259–69.
94. Voskuil DW, Vrieling A, van't Veer LJ, Kampman E, Rookus MA. The insulin-like growth factor system in cancer prevention: potential of dietary intervention strategies. *Cancer Epidemiol Biomarkers Prevent.* 2005 Jan;14(1): 195–203.
95. Cohen P. Serum insulin-like growth factor 1 levels and prostate cancer risk — interpreting the evidence. *J Natl Cancer Inst.* 1998(90):876–79.
96. Chan JM, Stampfer MJ, Giovannucci E, et al. Plasma insulin-like growth factor-I and prostate risk: a prospective study. *Science* 1998(279):563–65.
97. Fairfield K. Annual meeting of the Society for General Internal Medicine: Dairy products linked to ovarian cancer risk. *Family Practice News.* 2000 Jun 11:8.

Глава 5: ХРАНЕТЕ СЕ МЪДРО, ЗА ДА БЪДЕТЕ СЛАБИ

1. Rolls BJ. The relationship between dietary energy density and energy intake. *Physiol Behav.* 2009 Jul 14;97(5):609–15; Duncan K. The effects of high- and low-energy-density diets of satiety, energy intake, and eating time of obese and non-obese subjects. *Am J Clin Nutr.* 1983;37:763
2. Mangels AR, Holden JM, Beecher GR, et al. Carotenoid content of fruits and vegetables: an evaluation of analytic data. *J Am Diet Assoc.* 1993;93(3):284–96.
3. Bernstein PS, Delori FC, Richer S, et al. The value of measurement of macular carotenoid pigment optical densities and distributions in age-related macular degeneration and other retinal disorders. *Vision Res.* 2010 Mar 31;50(7): 716–28; Carpentier S, Knaus M, Suh M. Associations between lutein, zeaxanthin, and age-related macular degeneration: an overview. *Crit Rev Food Sci Nutr.* 2009 Apr;49(4):313–26.
4. Dwyer JH, Paul-Labrador MJ, Fan J, et al. Progression of carotid

- intima-media thickness and plasma antioxidants: the Los Angeles Atherosclerosis Study. *Arterioscler Thromb Vasc Biol.* 2004 Feb;24(2):313–19; Dwyer JH, Navab M, Dwyer KM, et al. Oxygenated carotenoid lutein and progression of early atherosclerosis: the Los Angeles Atherosclerosis Study. *Circulation.* 2001; 103(24):2922–27.
5. Harris W. Less grains, more greens. VigSource.com. Posted 2000 Jun 11. No longer available online.
 6. Harris W. *The scientific basis of vegetarianism.* Honolulu: Hawaii Health Publishers; 2000. pp. 98–100.
 7. Lee JH, O’Keefe JH, Lavie CJ, Harris WS. Omega-3 fatty acids: cardiovascular benefits, sources and sustainability. *Nat Rev Cardiol.* 2009 Dec;6(12):753–58; Lavie CJ, Milani RV, Mehra MR, Ventura HO. Omega-3 polyunsaturated fatty acids and cardiovascular diseases. *J Am Coll Cardiol.* 2009 Aug 11;54(7):585–94; Cole GM, Ma QL, Frautschy SA. Omega-3 fatty acids and dementia. *Prostaglandins Leukot Essent Fatty Acids.* 2009 Aug–Sep;81(2–3):213–21; Wendel M, Heller AR. Anticancer actions of omega-3 fatty acids — current state and future perspectives. *Anti Canc Agents Med Chem.* 2009 May; 9(4):457–70; Calder PC, Yaqoob P. Omega-3 polyunsaturated fatty acids and human health outcomes. *Biofactors.* 2009 May–Jun;35(3):266–72; Yashodhara BM, Umakanth S, Pappachan JM, et al. Omega-3 fatty acids: a comprehensive review of their role in health and disease. *Postgrad Med J.* 2009 Feb;85(1000):84–90; Cakiner-Egilmez T. Omega 3 fatty acids and the eye. *Insight.* 2008 Oct–Dec;33(4):20–5; quiz 26–27; Das UN. Essential fatty acids — a review. *Curr Pharm Biotechnol.* 2006 Dec;7(6):467–82; Smith WL. Nutritionally essential fatty acids and biologically indispensable cyclooxygenases. *Trends Biochem Sci.* 2008 Jan;33(1):27–37.
 8. Simopoulos AP. The importance of the omega-6/omega-3 fatty acid ratio in cardiovascular disease and other chronic diseases. *Exp Biol Med (Maywood).* 2008 Jun;233(6):674–88; Miyake Y, Sasaki S, Tanaka K, et al. Relationship between dietary fat and fish intake and the prevalence of atopic eczema in pregnant Japanese females: baseline data from the Osaka Maternal and Child Health Study. *Asia Pac J Clin Nutr.* 2008;17(4):612–19; Koch C, Dölle S, Metzger M, et al. Docosahexaenoic acid (DHA) supplementation in atopic eczema: a randomized, double-blind, controlled trial. *Br J Dermatol.* 2008 Apr;158(4):786–92; Freeman MP. Omega-3 fatty acids in major depressive disorder. *J Clin Psychiatry.* 2009;70(suppl 5):S7–11; Thiébaud AC, Chajès V, Gerber M, et al. Dietary intakes of omega-6 and omega-3 polyunsaturated fatty acids and the risk of breast cancer. *Int J Cancer.* 2009 Feb 15;124(4):924–31; Berquin IM, Edwards IJ, Chen YQ. Multi-targeted therapy of cancer by omega-3 fatty acids. *Cancer Lett.* 2008 Oct 8;269(2):363–77.
 9. Simopoulos AP. The importance of the omega-6/omega-3 fatty acid ratio in cardiovascular disease and other chronic diseases. *Exp Biol Med (Maywood).* 2008 Jun;233(6):

- 674–88; Sartorelli DS, Damião R, Chaim R, et al. Dietary omega-3 fatty acid and omega-3: omega-6 fatty acid ratio predict improvement in glucose disturbances in Japanese Brazilians. *Nutrition*. 2010 Feb;26(2):184–91; Simopoulos AP. Essential fatty acids in health and chronic disease. *Am J Clin Nutr*. 1999;70(3):560–69.
10. CBS News: Health-Lawsuit: Disclose PCB Levels in Fish Oil. March 2, 2010; <http://www.cbsnews.com/stories/2010/03/02/health/main6259938.shtml>.
 11. Waitzberg DL, Torrinhas RS. Fish oil lipid emulsions and immune response: what clinicians need to know. *Nutr Clin Pract*. 2009 Aug–Sep;24(4):487–99; Mori TA, Beilin LJ. Omega-3 fatty acids and inflammation. *Curr Atheroscler Rep*. 2004 Nov;6(6):461–67; Fernandes G. Progress in nutritional immunology. *Immunol Res*. 2008;40(3):244–61. Huges DA, Pinder AC. N-3 polyunsaturated fatty acids inhibit the antigen-presenting function of human monocytes. *Am J Clin Nutr*. 2000;71(suppl 1):S357–60; Purasiri P, McKechnie A, Heys SD, Eremin O. Modulation in vitro of human natural cytotoxicity, lymphocyte proliferation response to mitogens and cytokine production by essential fatty acids. *Immunology*. 1997;92(2):166–72.
 12. Sijben JW, Calder PC. Differential immunomodulation with long-chain n-3 PUFA in health and chronic disease. *Proc Nutr Soc*. 2007 May;66(2):237–59; Simopoulos AP. Omega-3 fatty acids in inflammation and autoimmune diseases. *J Am Coll Nutr*. 2002 Dec;21(6):495–505.
 13. Joseph A. Manifestations of coronary atherosclerosis in young trauma victims — an autopsy study. *J Am Coll Cardiol*. 1993;22:459.
 14. Virtanen JK, Mozaffarian D, Chiuve SE, Rimm EB. Fish consumption and risk of major chronic disease in men. *Am J Clin Nutr*. 2008 Dec;88(6):1618–25; Harris WS, Kris-Etherton PM, Harris KA. Intakes of long-chain omega-3 fatty acid associated with reduced risk for death from coronary heart disease in healthy adults. *Curr Atheroscler Rep*. 2008 Dec;10(6):503–9.
 15. Vrablík M, Prusíková M, Snejdrlová M, Zlatohlávek L. Omega-3 fatty acids and cardiovascular disease risk: do we understand the relationship? *Physiol Res*. 2009;58 (suppl 1):S19–26; Lee JH, O’Keefe JH, Lavie CJ, Harris WS. Omega-3 fatty acids: cardiovascular benefits, sources and sustainability. *Nat Rev Cardiol*. 2009 Dec;6(12):753–58; Lavie CJ, Milani RV, Mehra MR, Ventura HO. Omega-3 polyunsaturated fatty acids and cardiovascular diseases. *J Am Coll Cardiol*. 2009 Aug 11;54(7):585–94; Holub BJ. Docosahexaenoic acid (DHA) and cardiovascular disease risk factors. *Prostaglandins Leukot Essent Fatty Acids*. 2009 Aug–Sep;81(2–3):199–204.
 16. Siguel EN. Dietary sources of long-chain n-3 polyunsaturated fatty acids. *JAMA*. 1996;275:836.
 17. Marangoni F, Colombo C, Martiello A, et al. Levels of the n-3 fatty acid eicosapentaenoic acid in addition to those of alpha linolenic acid are significantly raised in blood lipids by the intake of four walnuts a day in humans.

- Nutr Metab Cardiovasc Dis.* 2007 Jul;17(6):457–61; Harnack K, Andersen G, Somoza V. Quantitation of alpha-linolenic acid elongation to eicosapentaenoic and docosahexaenoic acid as affected by the ratio of n6/n3 fatty acids. *Nutr Metab (Lond)*. 2009 Feb 19;6:8; Siguel EN, Macture M. Relative enzyme activity of unsaturated fatty acid metabolic pathways in humans. *Metabolism*. 1987; 36:664–69.
18. Mozaffarian D, Rimm EB. Fish intake, contaminants, and human health: evaluating the risks and the benefits. *JAMA*. 2006 Oct 18;296(15):1885–99; Salonen JT, Seppanen K, Nyssonen K, et al. Intake of mercury from fish, lipid peroxidation, and the risk of myocardial infarction and coronary, cardiovascular, and any death in eastern Finnish men. *Circulation*. 1995;91:645–55.
 19. Virtanen JK, Voutilainen S, Rissanen TH, et al. Mercury, fish oils, and risk of acute coronary events and cardiovascular disease, coronary heart disease, and all-cause mortality in men in eastern Finland. *Arterioscler Thromb Vasc Biol*. 2005 Jan;25(1):228–33; Ihanainen M, Salonen R, Seppanen R, Salonen JT. Nutrition data collection in the Kuopio Ischaemic Heart Disease Risk Factor Study: nutrient intake of middle-aged eastern Finnish men. *Nutr Res*. 1989;9:597–604; WHO Monica Project: assessing CHD mortality and morbidity. *Int J Epidemiol*. 1989;18(suppl):S38–45; Salonen JT, Seppanen K, Nyssonen K, et al. Intake of mercury from fish, lipid peroxidation, and the risk of myocardial infarction and coronary, cardiovascular, and any death in eastern Finnish men. *Circulation*. 1995;91:645–55.
 20. Wiggers GA, Peçanha FM, Briones AM, et al. Low mercury concentrations cause oxidative stress and endothelial dysfunction in conductance and resistance arteries. *Am J Physiol Heart Circ Physiol*. 2008 Sep;295(3):H1033–43.
 21. Black JJ, Bauman PC. Carcinogens and cancers in freshwater fishes. *Environ Health Perspec*. 1991;90:27–33.
 22. Oken E, Bellinger DC. Fish consumption, methylmercury and child neurodevelopment. *Curr Opin Pediatr*. 2008 Apr;20(2):178–83; Murata K, Dakeishi M, Shimada M, et al. Assessment of intrauterine methylmercury exposure affecting child development: messages from the newborn. *Tohoku J Exp Med*. 2007 Nov;213(3):187–202; Jedrychowski W, Perera F, Jankowski J, et al. Fish consumption in pregnancy, cord blood mercury level and cognitive and psychomotor development of infants followed over the first three years of life: Krakow epidemiologic study. *Environ Int*. 2007 Nov;33(8):1057–62; Gilbertson M. Male cerebral palsy hospitalization as a potential indicator of neurological effects of methylmercury exposure in Great Lakes communities. *Environ Res*. 2004 Jul;95(3):375–84; Rylander L, Stromberg U, Hagmar L. Dietary intake of fish contaminated with persistent organochlorine compounds in relation to low birthweight. *Scand J Work Environ Health*. 1996;2(4):260–66; Does methylmercury have a role in causing

- developmental disabilities in children? *Environ Health Perspect.* 2000;108(suppl. 3):S413–20.
23. Clarkson TW. The toxicology of mercury. *Crit Rev Clin Lab Sci.* 1997;34(4):369–403.
 24. Calder PC. Immunomodulation by omega-3 fatty acids. *Prostaglandins Leukot Essent Fatty Acids.* 2007 Nov–Dec;77(5–6):327–35; Wang H, Hao Q, Li QR, et al. Omega-3 polyunsaturated fatty acids affect lipopolysaccharide-induced maturation of dendritic cells through mitogen-activated protein kinases p38. *Nutrition.* 2007 Jun;23(6):474–82; Meydani SN, Lichtenstein AH, Cornwall S, et al. Immunologic effects of national cholesterol education panel step-2 diets with and without fish-derived n-3 fatty acid enrichment. *J Clin Invest.* 1993;92(1):105–13.
 25. Roy J, Pallepati P, Bettaieb A, et al. Acrolein induces a cellular stress response and triggers mitochondrial apoptosis in A549 cells. *Chem Biol Interact.* 2009 Oct 7;181(2):154–67; Dung CH, Wu SC, Yen GC. Genotoxicity and oxidative stress of the mutagenic compounds formed in fumes of heated soybean oil, sunflower oil and lard. *Toxicol In Vitro.* 2006 Jun;20(4):439–47; Chiang TA, Wu PF, Wang LF, et al. Mutagenicity and polycyclic aromatic hydrocarbon content of fumes from heated cooking oils produced in Taiwan. *Mutat Res.* 1997;381(2):157–61; Sheerin AN, Silwood C, Lynch E, Grootveld M. Production of lipid peroxidation products in culinary oils and fats during episodes of thermal stressing: a high field 1H NMR investigation. *Biochem Soc Trans.* 1997;25(3) Supplement: 5495. Warner K. Impact of high-temperature food processing on fats and oils. *Adv Exp Med Biol.* 1999;459:67–77.
 26. Kurth T, Moore SC, Gaziano JM, et al. Healthy lifestyle and the risk of stroke in women. *Arch Intern Med.* 2006 Jul 10;166(13):1403–9; Posner B, Cobb JL, Belanger A, et al. Dietary lipid predictors of coronary heart disease in men. *Arch Intern Med.* 1991;151:1181–87; Gillman MW, Cupples LA, Millen BE, et al. Inverse association of dietary fat with development of ischemic stroke in men. *JAMA.* 1997;278:2145–50; Iso H, Stampfer MJ. A study of fat and protein intake and risk of intraparenchymal hemorrhage in women. *Circulation.* 2001;103:856.
 27. Dauchet L, Amolloye P, Dallongeville J. Fruit and vegetable consumption and risk of stroke: a meta-analysis of cohort studies. *Neurology.* 2005 Oct 25;65(8):1193–97; Mizrahi A, Knekt P, Montonen J, et al. Plant foods and the risk of cerebrovascular diseases: a potential protection of fruit consumption. *Br J Nutr.* 2009 Oct;102(7):1075–83; Nagura J, Iso H, Watanabe Y, et al. Fruit, vegetable and bean intake and mortality from cardiovascular disease among Japanese men and women: the JACC Study. *Br J Nutr.* 2009 Jul;102(2):285–92.
 28. Woo D, Haverbusch M, Sekar P, et al. Effect of untreated hypertension on hemorrhagic stroke. *Stroke.* 2004 Jul;35(7):1703–8; Perry HM Jr., Davis BR, Price TR, et al. Effects of treating isolated systolic hypertension on the risk of developing

- various types and subtypes of stroke: the Systolic Hypertension in the Elderly Program (SHEP). *JAMA*. 2000;284(4):465–71.
29. Park Y, Park S, Yi H, et al. Low level of n-3 polyunsaturated fatty acids in erythrocytes is a risk factor for both acute ischemic and hemorrhagic stroke in Koreans. *Nutr Res*. 2009 Dec;29(12):825–30; Simon JA, Fong J, Bernert JT Jr., Browner WS. Serum fatty acids and the risk of stroke. *Stroke*. 1995;26:778–82; Shimokawa T, Moriuchi A, Hori T, et al. Effect of dietary alpha-linolenate/linoleate balance on mean survival time, incidence of stroke and blood pressure of spontaneously hypertensive rats. *Life Sci*. 1988;43:2067–75.
 30. Kurth T, Moore SC, Gaziano JM, et al. Healthy lifestyle and the risk of stroke in women. *Arch Intern Med*. 2006 Jul 10;166(13):1403–9; Sasaki S, Zhang XH, Kesteloot H. Dietary sodium, potassium, saturated fat, alcohol, and stroke mortality. *Stroke*. 1995;26(5):783–89.
 31. Bos MB, de Vries JH, Feskens EJ, et al. Effect of a high monounsaturated fatty acids diet and a Mediterranean diet on serum lipids and insulin sensitivity in adults with mild abdominal obesity. *Nutr Metab Cardiovasc Dis*. 2009 Aug 17. [Epub ahead of print]; Rallidis LS, Lekakis J, Kolomvotsou A, et al. Close adherence to a Mediterranean diet improves endothelial function in subjects with abdominal obesity. *Am J Clin Nutr*. 2009 Aug;90(2):263–68; Perez-Jimenez F, Castro P, Lopez-Miranda J, et al. Circulating levels of endothelial function are modulated by dietary monounsaturated fat. *Atherosclerosis* 1999; 145(2):351–58.
 32. Nettleton JA, Polak JF, Tracy R, et al. Dietary patterns and incident cardiovascular disease in the Multi-Ethnic Study of Atherosclerosis. *Am J Clin Nutr*. 2009 Sep; 90(3):647–54; Sinha R, Cross AJ, Graubard BI, et al. Meat intake and mortality: a prospective study of over half a million people. *Arch Intern Med*. 2009 Mar 23;169(6):562–71; Sabaté J, Ang Y. Nuts and health outcomes: new epidemiologic evidence. *Am J Clin Nutr*. 2009 May;89(5)(suppl):S1643–48; Ros E. Nuts and novel biomarkers of cardiovascular disease. *Am J Clin Nutr*. 2009 May; 89(5)(suppl):S1649–56; Nash SD, Nash DT. Nuts as part of a healthy cardiovascular diet. *Curr Atheroscler Rep*. 2008 Dec;10(6):529–35; Fraser GE. Association between diet and cancer, ischemic heart disease, and all-cause mortality in non-Hispanic white California Seventh-Day Adventists. *Am J Clin Nutr*. 1999; 70(suppl. 3): S532–38.
 33. Hu FB, Stampfer MJ. Nut consumption and risk of coronary heart disease: a review of epidemiologic evidence. *Curr Atheroscler Rep*. 1999 Nov;1(3):204–9.
 34. Mukuddem-Petersen J, Oosthuizen W, Jerling JC. A systematic review of the effects of nuts on blood lipid profiles in humans. *J Nutr*. 2005;135(9):2082–89.
 35. Lamarche B, Desroche S, Jenkins DJ, et al. Combined effects of a dietary portfolio of plant sterols, vegetable protein, viscous fiber and almonds on LDL particle size. *Br J Nutr*. 2004;92(4):654–63.

36. Ellsworth JL, Kushi LH, Folsom AR. Frequent nut intake and risk of death from coronary heart disease and all causes in postmenopausal women: the Iowa Women's Health Study. *Nutr Metab Cardiovasc Dis*. 2001;11(6):372-77.
37. Yuen AW, Sander JW. Is omega-3 fatty acid deficiency a factor contributing to refractory seizures and SUDEP? A hypothesis. *Seizure*. 2004 Mar;13(2):104-7.
38. Coates AM, Howe PR. Edible nuts and metabolic health. *Curr Opin Lipidol*. 2007;18(1):25-30; Segura R, Javierre C, Lizarraga MA, Ros E. Other relevant components of nuts: phytosterols, folate and minerals. *Br J Nutr*. 2006;96(suppl 2):S36-44.
39. Rajaram S, Sabat AJ. Nuts, body weight and insulin resistance. *Br J Nutr*. 2006;96(suppl 2):S79-86; Sabat AJ. Nut consumption and body weight. *Am J Clin Nutr*. 2003;78(suppl 3):S647-50; Bes-Rastrollo M, Sabat AJ, Gamez-Gracia E, et al. Nut consumption and weight gain in a Mediterranean cohort: the SUN study. *Obesity*. 2007;15(1):107-16; Garcia-Lorda P, Megias Rangil I, Salas-Salvada J. Nut consumption, body weight and insulin resistance. *Eur J Clin Nutr*. 2003;57(suppl 1):S8-11; Megas-Rangil I, Garcia-Lorda P, Torres-Moreno M, et al. Nutrient content and health effects of nuts. *Arch Latinoam Nutr*. 2004;54(2)(suppl 1):83-6.
40. Ascherio A, Willett WC. Health effects of trans fatty acids. *Am J Clin Nutr*. 1997;66(suppl 4):S1006-10.
41. Mozaffarian D, Aro A, Willett WC. Health effects of trans-fatty acids: experimental and observational evidence. *Eur J Clin Nutr*. 2009 May;63(suppl 2):S5-21.
42. Willett WC. Trans fatty acids and cardiovascular disease — epidemiological data. *Atheroscler Suppl*. 2006 May;7(2):5-8; de Roos NM, Bots ML, Katan MB. Replacement of dietary saturated fatty acids by trans fatty acids lowers serum HDL cholesterol and impairs endothelial function in healthy men and women. *Arterioscler Thromb Vasc Biol*. 2001 Jul;21(7):1233-37.
43. Mozaffarian D, Aro A, Willett WC. Health effects of trans-fatty acids: experimental and observational evidence. *Eur J Clin Nutr*. 2009 May;63(suppl 2):S5-21; Willett WC, Stampfer MJ, Manson JE, et al. Intake of trans fatty acids and risk of coronary heart disease among women. *Lancet*. 1993;341:581-85; Ascherio A, Hennekens CH, Buring JE, et al. Trans-fatty acids intake and risk of myocardial infarction. *Circulation*. 1994;89(1):94-101; Lichtenstein AH. Trans fatty acids and cardiovascular disease risk. *Curr Opin Lipidol*. 2000;11(1):37-42.
44. Chajès V, Thiébaud AC, Rotival M, et al. Association between serum trans-monounsaturated fatty acids and breast cancer risk in the E3N-EPIC Study. *Am J Epidemiol*. 2008 Jun 1;167(11):1312-20.
45. National Academy of Sciences, Food and Nutrition Board. Dietary Reference Intakes for Energy, Carbohydrates, Fiber, Fat, Protein and Amino Acids (Macronutrients). 2005:500-589.
46. Hegsted D. Minimum protein

- requirements of adults. *Am J Clin Nutr.* 1968;21:3520.
47. Suárez López MM, Kizlansky A, López LB. [Assessment of protein quality in foods by calculating the amino acids score corrected by digestibility]. *Nutr Hosp.* 2006 Jan–Feb;21(1):47–51; Schaafsma G. The protein digestibility–corrected amino acid score. *J Nutr.* 2000 ;130 (7)(suppl): S1865 – 67; Henley EC, Kuster JM. Protein quality evaluation by protein digestibility corrected amino acid scoring. *Food Technol.* 1994; 48(4): 74–77.

Глава 6: КАК ДА СЕ ИЗБАВИТЕ ОГ ПРИСТРАСТЯВАНЕТО КЪМ ХРАНАТА

1. Vives-Bauza C, Anand M, Shirazi AK, et al. The age lipid A2E and mitochondrial dysfunction synergistically impair phagocytosis by retinal pigment epithelial cells. *J Biol Chem.* 2008; 283(36): 24770–80.
2. Chinmay P, Husam G, Shreyas R, et al. Prolonged reactive oxygen species generation and nuclear factor- κ B activation after a high-fat, high-carbohydrate meal in the obese. *J Clin Endocrinol Metab.* 2007;92(11):4476–79.
3. Peairs AT, Rankin JW. Inflammatory response to a high-fat, low-carbohydrate weight loss diet: effect of antioxidants. *Obesity* 2008; 16(7):1573–78.
4. Scanlan N. Compromised hepatic detoxification in companion animals and its correction via nutritional supplementation and modified fasting. *Altern Med Rev.* 2001;6(suppl):S24–37.
5. Bes-Rastrollo M, Sanchez-Villegas A, Basterra-Gortari FJ. Prospective study of self-reported usual snacking and weight gain in a Mediterranean cohort: the SUN Project. *Clin Nutr.* 2010 Jun; 29(3): 323–30.
6. Mattson MP, Wan R. Beneficial effects of intermittent fasting and caloric restriction on the cardiovascular and cerebrovascular systems. *J Nutr Biochem.* 2005; 16(3): 129–37.
7. Preboth MA, Wright S. Quantum sufficit. *Am Fam Physician.* 1998: 58(3):639.
8. Mokdad, AH, Serdula MK, Dietz WH, et al. The spread of the obesity epidemic in the United States, 1991–1998. *JAMA.* 1999;282(16): 1519–22.
9. Food and Agriculture Organization and World Health Organization. *Human vitamin and mineral requirements.* Report 2002. Available online at <http://www.fao.org/docrep/004/Y2809E/y2809e08.htm#bm08>.
10. Golay A, Guy-Grand B. Are diets fattening? *Ann Endocrinol.* 2002; 63(6):2.
11. Hernandez TL, Sutherland JP, Wolfe P, et al. Lack of suppression of circulating free fatty acids and hypercholesterolemia during weight loss on a high-fat, low-carbohydrate diet. *Am J Clin Nutr.* 2010;91(3):578–85; Brinkworth GD, Noakes M, Buckley JD, et al. Long-term effects of a very-low-carbohydrate weight loss diet compared with an isocaloric low-fat diet after 12 mo. *Am J Clin Nutr.* 2009;90(1):23–32; Wycherley TP, Brinkworth GD, Keogh JB, et al. Long-term effects of weight loss

- with a very low carbohydrate and low fat diet on vascular function in overweight and obese patients. *J Intern Med.* 2010 May; 267(5): 452–61.
12. Key TJA, Thorogood M, Appleby PN, Burr ML. Dietary habits and mortality in 11,000 vegetarians and health conscious people: results of a 17-year follow up. *BMJ.* 1996;313:775–79.
 13. Stevens A, Robinson DP, Turpin J, et al. Sudden cardiac death of an adolescent during [Atkins] dieting. *SouthMedJ.* 2002;95:1047.
 14. Zhang ZJ, Croft JB, Gilles WH, Mensah GA. Sudden cardiac death in the United States, 1989 to 1998. *Circulation.* 2001 Oct 30;104(18):2158–63.
 15. Surawicz B, Waller BF. The enigma of sudden cardiac death related to diet. *Can J Cardiol.* 1995; 11(3):228–31.
 16. Best TH, Franz DN, Gilbert DL, et al. Cardiac complications in pediatric patients on the ketogenic diet. *Neurology.* 2000;54(12): 2328–30.
 17. De Stefani E, Fierro L, Mendilaharsu M, et al. Meat intake, “mate” drinking and renal cell cancer in Uruguay: a case-control study. *Br J Cancer.* 1998;78(9): 1239–43; Risch HA, Jain M, Marrett LD, Howe GR. Dietary fat intake and risk of epithelial ovarian cancer. *J Natl Cancer Inst.* 1994;86(18):1409–15; Pillow PC, Hursting SD, Duphorne CM, et al. Case-control assessment of diet and lung cancer risk in African Americans and Mexican Americans. *Nutr Cancer.* 1997;29(2): 169–73; Alavanja MC, Brown CC, Swanson C, Brownson RC. Saturated fat intake and lung cancer risk among nonsmoking women in Missouri. *J Natl Cancer Inst.* 1993;85(23):1906–16.
 18. Nöthlings U, Wilkens LR, Murphy SP, et al. Meat and fat intake as risk factors for pancreatic cancer: the Multiethnic Cohort Study. *J Natl Cancer Inst.* 2005 Oct 5; 97(19):1458–65.
 19. O’Keefe SJ, Kidd M, Espitalier NG, Owira P. Rarity of colon cancer in Africans is associated with low animal product consumption, not fiber. *Am J Gastroenterol.* 1999; 94(5):1373–80.
 20. Brown LM, Swanson CA, Gridley G, et al. Dietary factors and the risk of squamous cell esophageal cancer among black and white men in the United States. *Cancer Causes Control.* 1998;9(5):467–74; Cheng KK, Day NE. Nutrition and esophageal cancer. *Cancer Causes Control.* 1996;7(1):33–40; Hirohata T, Kono S. Diet/nutrition and stomach cancer in Japan. *Int J Cancer.* 1997;(suppl 10):34–36; Kono S, Hirohata T. Nutrition and stomach cancer. *Cancer Causes Control.* 1996;7(1):41–45; Terry P, Nyren O, Yuen J. Protective effect of fruits and vegetables on stomach cancer in a cohort of Swedish twins. *Int J Cancer.* 1998; 76(1):35–37.
 21. Willett WC, Trichopoulos D. Nutrition and cancer: a summary of the evidence. *Cancer Causes Control.* 7:178–80; La Vecchia C, Tavani A. Fruit and vegetables, and human cancer. *Eur J Cancer Prev.* 1998;7(1):3–8; Tavani A, La Vecchia C. Fruit and vegetable consumption and cancer risk in a Mediterranean population. *Am J*

- Clin Nutr.* 1995;61(6)(suppl): S1374–77.
22. Torosian MH. Effect of protein intake on tumor growth and cell cycle kinetics. *J Surg Res.* 1995; 59(2):225–28; Youngman LD, Park JY, Ames BN. Protein oxidation associated with aging is reduced by dietary restriction of protein or calories. *Proc Nat Acad Sci.* 1992;89(19):9112–16; Carroll KK. Hypercholesterolemia and atherosclerosis: effects of dietary protein. *Fed Proc.* 1982;41(11): 2792–96; Carroll KK. Dietary proteins and amino acids — their effects on cholesterol metabolism. In: Gibney MJ, Kritchevshy D, editors. *Animal and vegetable proteins in lipid metabolism and atherosclerosis.* New York: Liss; 1993. pp. 9–17; Willett WC. Nutrition and cancer. *Salud Publica Mex.* 1997; 39(4):298–309.
 23. Tavani A, La Vecchia C, Gallus S, et al. Red meat and cancer risk: a study in Italy. *Int J Cancer.* 2000;86(3):425–28; Kuller LH. Dietary fat and chronic diseases: epidemiologic overview. *J Am Diet Assoc.* 1997;97(suppl 7):S9–15; Willett WC. Nutrition and cancer. *Salud Publica Mex.* 1997;39(4): 298–309; La Vecchia C. Cancer associated with high-fat diets. *J Natl Cancer Inst Monogr.* 1992; 12:79–85; Steinmetz KA, Potter JD. Vegetables, fruit, and cancer prevention: a review. *J Am Diet Assoc.* 1996;96(10):1027–39.
 24. Fontana L, Weiss EP, Villareal DT, et al. Long-term effects of calorie or protein restriction on serum IGF-1 and IGFBP-3 concentration in humans. *Aging Cell.* 2008;7: 681–87.
 25. Sherwood NE, Jeffery RW, French SA, et al. Predictors of weight gain in the Pound of Prevention study. *Int J Obes Relat Metab Disord.* 2000;24(4):395–403; Astrup A. Macronutrient balances and obesity: the role of diet and physical activity. *Public Health Nutr.* 1999;2(3A):341–47.
 26. Kahn HS, Tatham LM, Rodriguez C, et al. Stable behaviors associated with adults' 10-year change in body mass index and likelihood of gain at the waist. *Am J Public Health.* 1997;87(5):747–57.
 27. Kasiske BL, Lakatua JD, Ma JZ, Louis TA. A meta-analysis of the effects of dietary protein restriction on the rate of decline in renal function. *Am J Kidney Dis.* 1998;31(6): 954–61; Holm EA, Solling K. Dietary protein restriction and the progression of chronic renal insufficiency: a review of the literature. *J Intern Med.* 1996;239(2):99–104; Brenner BM, Meyer TW, Hostetter TH. Dietary protein intake and the progressive nature of kidney disease: the role of the hemodynamically mediated glomerular injury in the pathogenesis of progressive glomerular sclerosis in aging, renal ablation and intrinsic renal disease. *NEngl J Med.* 1982;307(11):652–59.
 28. Licata AA, Bow E, Bartler FC, et al. Effect of dietary protein on urinary calcium in normal subjects and in patients with nephrolithiasis. *Metabolism.* 1979;28:895; Robertson WG, Heyburn J, Peacock M, et al. The effect of high animal protein intake on the risk of calcium stone formation in the urinary tract. *Clin Sci.* 1979; 57:285; Brokis JG, Levitt AS, Cruthers SM. The effects of vegetable

- and animal protein diets on calcium, urate and oxalate excretion. *Br J Urol*. 1982;54:590; Robertson WG, Peacock M, Heyburn PJ, et al. The risk of calcium stone formation in relation to affluence and dietary animal protein. In: Brokis JG, Finlayson B, editors. *Urinary calculus: International Urinary Stone Conference*. Littleton, Mass.: PSG Publishing; 1981. p. 3; Atkins diet raises concerns. *CortlandForum* 2004 Apr;22.
29. Knight EL, Stampfer MJ, Hankinson SE, et al. The impact of protein on renal function decline in women with normal renal function or mild renal insufficiency. *Ann Int Med*. 2003;138:460–67.
 30. Gin H, Rigalleau V, Aparicio M. Lipids, protein intake, and diabetic nephropathy. *Diabetes Metab*. 2000;26(suppl 4):S45–53.
 31. Pedrini MT, Levey AS, Lau J, et al. The effect of dietary protein on the progression of diabetic and nondiabetic renal disease: a meta-analysis. *Ann Intern Med*. 1996; 124(7):627–32.
 32. Jenkins DJ, Kendall CW, Popovich DG, et al. Effect of a very-high-fiber vegetable, fruit, and nut diet on serum lipids and colonic function. *Metabolism*. 2001 Apr;50(4):494–503.
 33. Sarter B, Campbell TC, Fuhrman J. Effect of a high nutrient diet on long term weight loss: a retrospective chart review. *Altern Ther Health Med*. 2008;14(3):48–53; Foster GD, Wyatt HR, Hill JO, et al. Weight and metabolic outcomes after 2 years on a low-carbohydrate versus low-fat diet: a randomized trial. *Ann Intern Med*. 2010 Aug 3;153(3):147–57.
- Brinkworth GD, Noakes M, Buckley JD, et al. Long-term effects of a very-low-carbohydrate weight loss diet compared with an isocaloric low-fat diet after 12 mo. *Am J Clin Nutr*. 2009 Jul;90(1): 23–32. Sacks FM, Bray GA, Carey VJ, et al. Comparison of weight-loss diets with different compositions of fat, protein, and carbohydrates. *N Eng J Med*. 2009 Feb 26;360(9):859–73. Jiménez-Cruz A, Jiménez AB, Pichardo-Osuna A, et al. Long term effect of Mediterranean diet on weight loss. *Nutr Hosp*. 2009 Nov-Dec;24(6):753–54.

Глава 7: „ДА СЕ ХРАНИМ, ЗА ДА ЖИВЕЕМ“ ЛЕКУВА БОЛЕСТИ

1. Allen S, Britton JR, Leonardi-Bee JA. Association between antioxidant vitamins and asthma outcome measures: systematic review and meta-analysis. *Thorax*. 2009 Jul;64(7):610–19; Wood LG, Gibson PG. Dietary factors lead to innate immune activation in asthma. *Pharmacol Ther*. 2009 Jul;123(1):37–53; Bacopoulou F, Veltsista A, Vassi I, et al. Can we be optimistic about asthma in childhood? A Greek cohort study. *J Asthma*. 2009 Mar;46(2):171–47; Delgado J, Barranco P, Quirce S. Obesity and asthma. *J Invest Allergol Clin Immunol*. 2008;18(6): 420–52; Carnargro CA, Weiss DY, Zhang D, et al. Prospective study of body mass index, weight change, and risk of adult-onset asthma in women. *Arch Intern Med*. 1999;159: 2582–88.
2. American Heart Association. Heart Attack and Angina Statistics. 2006. <http://www.americanheart.org>

- heart.org/presenter.jhtml?identifier=4591.
3. Berenson GS, Wattigney WA, Bao W, Srinivasan SR, Radhakrishnamurthy B. Rationale to study the early natural history of heart disease: the Bogalusa Heart Study. *Am J Med Sci.* 1995;310(suppl): S22–28.
 4. Marrugat J, Sala J, Masia R, et al. Mortality differences between men and women following first myocardial infarction. *JAMA.* 1998; 280:1405–9.
 5. Hanekamp C, Koolen J, Bonnier H, et al. Randomized comparison of balloon angioplasty versus silicon carbon-coated stent implantation for de novo lesions in small coronary arteries. *Am J Cardiol.* 2004 May 15;93(10): 1233–37.
 6. Ramsey LE, Yeo WW, Jackson PR. Dietary reduction of serum cholesterol concentration: time to think again. *BMJ.* 1991;303:953–57.
 7. Ferdowsian HR, Barnard ND. Effects of plant-based diets on plasma lipids. *Am J Cardiol.* 2009 Oct 1;104(7):947–56; Dod HS, Bhardwaj R, Sajja V, et al. Effect of intensive lifestyle changes on endothelial function and on inflammatory markers of atherosclerosis. *Am J Cardiol.* 2010 Feb 1;105(3):362–76; Frattaroli J, Weidner G, Merritt-Worden TA, et al. Angina pectoris and atherosclerotic risk factors in the multi-site cardiac lifestyle intervention program. *Am J Cardiol.* 2008 Apr 1;101(7):911–18; Ornish D, Brown SE, Scherwitz LW, et al. Can lifestyle changes reverse coronary heart disease? *Lancet.* 1990; 336(8708):129–33; Ellis F. Angina and vegan diet. *Am Heart J.* 1997;93(6):803–5.
 8. Davidson MH, Hunninghake D, Maki KC, et al. Comparison of the effects of lean red meat vs. lean white meat on serum lipid levels among free-living persons with hypercholesterolemia: a long-term, randomized clinical trial. *Arch Intern Med.* 1999;159(12):1331–38.
 9. Fraser GE. Association between diet and cancer, ischemic heart disease, and all-cause mortality in non-Hispanic white California Seventh-Day Adventists. *Am J Clin Nutr.* 1999; 70(suppl 3):S532–38.
 10. Ros E. Nuts and novel biomarkers of cardiovascular disease. *Am J Clin Nutr.* 2009 May;89(5)(suppl): S1649–56; Nash SD, Nash DT. Nuts as part of a healthy cardiovascular diet. *Curr Atheroscler Rep.* 2008 Dec;10(6):529–35; Gebauer SK, West SG, Kay CD, et al. Effects of pistachios on cardiovascular disease risk factors and potential mechanisms of action: a dose-response study. *Am J Clin Nutr.* 2008 Sep;88(3):651–59; Ma Y, Njike VY, Millet J, et al. Effects of walnut consumption on endothelial function in type 2 diabetic subjects: a randomized controlled crossover trial. *Diabetes Care.* 2010 Feb;33(2):227–32; Banel DK, Hu FB. Effects of walnut consumption on blood lipids and other cardiovascular risk factors: a meta-analysis and systematic review. *Am J Clin Nutr.* 2009 Jul;90(1): 56–63; Spaccarotella KJ, Kris-Etherton PM, Stone WL, et al. The effect of walnut intake on factors related to prostate and vascular health in older men. *Nutr J.* 2008 May 2;7:13; Ros E, Mataix J.

- Fatty acid composition of nuts — implications for cardiovascular health. *Br J Nutr.* 2006 Nov; 96(suppl 2):S29–35.
11. Mozaffarian D. Does alpha-linolenic acid intake reduce the risk of coronary heart disease? A review of the evidence. *Altern Ther Health Med.* 2005 May–Jun;11(3):24–30; quiz 31, 79.
 12. Stefanick ML, Mackey S, Sheehan M, et al. Effects of diet and exercise in men and postmenopausal women with low levels of HDL cholesterol and high levels of LDL cholesterol. *N Eng J Med.* 339:12–20.
 13. Kodama S, Saito K, Tanaka S, et al. Influence of fat and carbohydrate proportions on the metabolic profile in patients with type 2 diabetes: a meta-analysis. *Diabetes Care.* 2009 May;32(5):959–65; Lichtenstein AH, Van Horn L. Very low fat diets. *Circulation.* 1998 Sep 1;98(9):935–39.
 14. McKeown NM, Meigs JB, Liu S, et al. Dietary carbohydrates and cardiovascular disease risk factors in the Framingham offspring cohort. *J Am Coll Nutr.* 2009 Apr; 28(2):150–58; Siri-Tarino PW, Sun Q, Hu FB, Krauss RM. Saturated fat, carbohydrate, and cardiovascular disease. *Am J Clin Nutr.* 2010 Mar;91(3):502–9.
 15. De Natale C, Annuzzi G, Bozzetto L, et al. Effects of a plant-based high-carbohydrate/high-fiber diet versus high-monounsaturated fat/low-carbohydrate diet on postprandial lipids in type 2 diabetic patients. *Diabetes Care.* 2009 Dec;32(12):2168–73; Anderson JW. Dietary fiber prevents carbohydrate-induced hypertriglyceridemia. *Curr Atheroscler Rep.* 2000 Nov;2(6):536–41; Turley ML, Skeaff CM, Mann JI, Cox B. The effect of low-fat, high-carbohydrate diet on serum high density lipoprotein cholesterol and triglycerides. *Eur J Clin Nutr.* 1998; 52(10):728–32.
 16. Jenkins DJ, Kendall CW, Popovich DG. Effects of a very-high-fiber vegetable, fruit, and nut diet on serum lipids and colonic function. *Metabolism.* 2001;50 (4): 494–503.
 17. Lichtenstein AH, Van Horn L. Very low fat diets. *Circulation.* 1998 Sep 1;98(9):935–39.
 18. Ivanov AN, Medkova IL, Mosiakina LI. The effect of anti-atherogenic vegetarian diet on the clinico-hemodynamic and biochemical indices in elderly patients with ischemic heart disease. *Ter Arkh.* 1999;71(2):75–78.
 19. Ishikawa T. Postprandial lipemia as an atherosclerotic risk factor and fat tolerance test. *Nippon Rinsho* 1999;57(12):2668–72.
 20. Koeford BC, Gullov AL, Peterson P. Cerebral complications of surgery using cardiopulmonary bypass. *Ugeskr Laeger.* 1995;157(6):728–34.
 21. Joshi B, Brady K, Lee J, et al. Impaired autoregulation of cerebral blood flow during rewarming from hypothermic cardiopulmonary bypass and its potential association with stroke. *Anesth Analg.* 2010 Feb;110(2):321–28; Chauhan S. Brain, cardiopulmonary bypass and temperature: what should we be doing? *Ann Card Anaesth.* 2009 Jul–Dec;12(2):104–6; Brain damage and open-heart surgery. *Lancet.* 1989 Aug 12; 2(8659):364–66.

22. Hanekamp C, Koolen J, Bonnier H, et al. Randomized comparison of balloon angioplasty versus silicon carbon-coated stent implantation for de novo lesions in small coronary arteries. *Am J Cardiol.* 2004 May 15;93(10):1233–37.
23. Agostoni P, Valgimigli M, Biondi-Zoccai GG, et al. Clinical effectiveness of bare-metal stenting compared with balloon angioplasty in total coronary occlusions: insights from a systematic overview of randomized trials in light of the drug-eluting stent era. *Am Heart J.* 2006 Mar;151(3):682–89.
24. Stähli BE, Camici GG, Tanner FC. Drug-eluting stent thrombosis. *Ther Adv Cardiovasc Dis.* 2009 Feb;3(1):45–52; Lüscher TF, Steffel J, Eberli FR, et al. Drug-eluting stent and coronary thrombosis: biological mechanisms and clinical implications. *Circulation.* 2007 Feb 27;115(8):1051–58.
25. Bates B. Angiograms miss most atheromas. *Family Practice News.* 2001 Jul 15;31(14):1, 4.
26. Nissen SE. Pathobiology, not angiography, should guide management in acute coronary syndrome/non-ST-segment elevation myocardial infarction: the non-interventionist's perspective. *J Am Coll Cardiol.* 2003 Feb 19;41(4) (suppl S):S103–12; Schoenhagen P, Ziada KM, Vince DG, Nissen SE, Tuzcu EM. Arterial remodeling and coronary artery disease: the concept of “dilated” versus “obstructive” coronary atherosclerosis. *J Am Coll Cardiol.* 2001 Aug;38(2):297–306.
27. Shrihari JS, Roy A, Prabhakaran D, Reddy KS. Role of EDTA chelation therapy in cardiovascular diseases. *Natl Med J India.* 2006 Jan–Feb;19(1):24–26; Seely DM, Wu P, Mills EJ. EDTA chelation therapy for cardiovascular disease: a systematic review. *BMC Cardiovasc Disord.* 2005 Nov 1;5:32.
28. Gould KL. New concepts and paradigms in cardiovascular medicine: the noninvasive management of coronary artery disease. *Am J Med.* 1998;104(6A)(suppl):S2–17; Franklin BA, Kahn JK. Delayed progression or regression of coronary atherosclerosis with intensive risk factor modification: effects of diet, drugs, and exercise. *Sports Med.* 1996;22(5):306–20.
29. Kannel WB. Range of serum cholesterol values in the population developing coronary artery disease. *Am J Cardiol.* 1995;76(9):69c–77c; Castelli WP, Anderson K, Wilson PW, Levy D. Lipids and the risk of coronary heart disease: the Framingham Study. *Ann Epidemiol.* 1992;2(1–2):23–28.
30. Cooper R, Rotimi C, Ataman S, et al. The prevalence of hypertension in seven populations of west African origin. *Am J Public Health.* 1997 Feb;87(2):160–8. He J, Klag MJ, Whelton PK, et al. Body mass and blood pressure in a lean population in southwestern China. *Am J Epidemiol.* 1994 Feb 15;139(4):380–9.
31. Fogari R, Zoppi A, Corradi L, et al. Effect of body weight loss and normalization on blood pressure in overweight non-obese patients with stage 1 hypertension. *Hypertens Res.* 2010 Mar;33(3):236–42; Sacks FM, Svetkey LP, Vollmer WM, et al. Effects on blood pressure

- of reduced dietary sodium and the Dietary Approaches to Stop Hypertension (DASH) diet. *N Eng J Med*. 2001 Jan 4;344(1):3–10; Haddy FJ, Vanhoutte PM, Feletou M. Role of potassium in regulating blood flow and blood pressure. *Am J Physiol Regul Integr Comp Physiol*. 2006 Mar;290(3):R546–52; Wu G, Tian H, Han K, et al. Potassium magnesium supplementation for four weeks improves small distal artery compliance and reduces blood pressure in patients with essential hypertension. *Clin Exp Hypertens*. 2006 Jul;28(5):489–97; Houston MC, Harper KJ. Potassium, magnesium, and calcium: their role in both the cause and treatment of hypertension. *J Clin Hypertens (Greenwich)*. 2008 Jul;10(7)(suppl 2):S3–11; Sesso HD, Cook NR, Buring JE, et al. Alcohol consumption and the risk of hypertension in women and men. *Hypertension*. 2008 Apr;51(4):1080–7; Beilin LJ, Puddey IB. Alcohol and hypertension: an update. *Hypertension*. 2006 Jun;47(6):1035–38; Uiterwaal CS, Verschuren WM, Bueno-de-Mesquita HB, et al. Coffee intake and incidence of hypertension. *Am J Clin Nutr*. 2007 Mar;85(3):718–23; Winkelmayr WC, Stampfer MJ, Willett WC, et al. Habitual caffeine intake and the risk of hypertension in women. *JAMA*. 2005 Nov 9;294(18):2330–35; Flint AJ, Hu FB, Glynn RJ, et al. Whole grains and incident hypertension in men. *Am J Clin Nutr*. 2009 Sep;90(3):493–98; Utsugi MT, Ohkubo T, Kikuya M, et al. Fruit and vegetable consumption and the risk of hypertension determined by self measurement of blood pressure at home: the Ohasama study. *Hypertens Res*. 2008 Jul;31(7):1435–43; Owen A, Wiles J, Swaine I. Effect of isometric exercise on resting blood pressure: a meta analysis. *J Hum Hypertens*. 2010 Feb 25. [Epub ahead of print]; Chen YL, Liu YF, Huang CY, et al. Normalization effect of sports training on blood pressure in hypertensives. *J Sports Sci*. 2010 Feb;19:1–7.
32. Jablonski KL, Gates PE, Pierce GL, Seals DR. Low dietary sodium intake is associated with enhanced vascular endothelial function in middle-aged and older adults with elevated systolic blood pressure. *Ther Adv Cardiovasc Dis*. 2009 Oct;3(5):347–56; Padiyar A. Nonpharmacologic management of hypertension in the elderly. *Clin Geriatr Med*. 2009 May;25(2):213–19; Whelton PK, Appel LJ, Espeland MA, et al. Sodium reduction and weight loss in the treatment of hypertension in older persons: a randomized controlled trial of nonpharmacologic interventions in the elderly. *JAMA*. 1998;279:839–46.
 33. Stafford RS, Blumenthal D. Specialty differences in cardiovascular disease prevention practices. *J Am Coll Cardiol*. 1998; 32(5):1238–43.
 34. American Diabetes Association: Diabetes Statistics. <http://www.diabetes.org/diabetes-basics/diabetes-statistics>.
 35. American Diabetes Association: Diabetes Statistics. <http://www.diabetes.org/diabetes-basics/diabetes-statistics/>.
 36. Eppens MC, Craig ME, Cusumano J, et al. Prevalence of diabetes

- complications in adolescents with type 2 compared with type 1 diabetes. *Diabetes Care*. 2006. Jun 29;1300–6; Gaster B, Hirsh IB. The effects of improved glucose control on complications in type 2 diabetes. *Arch Intern Med*. 1998; 158:34–40.
37. Ioacaru S, Lichiardopol R, Ionescu-Tirgoviste C, et al. Improvements in life expectancy in type 1 diabetes patients in the last six decades. *Diabetes Res Clin Pract*. 2009 Nov;86(2):146–51; Barr EL, Zimmet PZ, Welborn TA, et al. Risk of cardiovascular and all-cause mortality in individuals with diabetes mellitus, impaired fasting glucose, and impaired glucose tolerance: the Australian Diabetes, Obesity, and Lifestyle Study (AusDiab). *Circulation*. 2007 Jul 10;116(2):151–57; Siscovick DS, Sotoodehnia N, Rea TD, et al. Type 2 diabetes mellitus and the risk of sudden cardiac arrest in the community. *Rev Endocr Metab Disord*. 2010 Mar;11(1):53–59; Stamler J, Stamler O, Vaccaro JD. Diabetes, other risk factors, and 12-year cardiovascular mortality for men screened in the multiple risk factor intervention trial. *Diabetes Care*. 1993;16:434–44; Haffner SM, Lehto S, Ronnema T, et al. Mortality from coronary heart disease in subjects with type 2 diabetes and in nondiabetic subjects with and without prior myocardial infarction. *N Eng J Med*. 1998;339(4):229–34; Janka HU. Increased cardiovascular morbidity and mortality in diabetes mellitus: identification of the high risk patient. *Diabetes Res Clin Pract*. 1996;30(suppl):585–88.
 38. Crane M. Regression of diabetic neuropathy with total vegetarian (vegan) diet. *J Nutr Med*. 1994; 4:431.
 39. Rector RS, Warner SO, Liu Y, et al. Exercise and diet induced weight loss improves measures of oxidative stress and insulin sensitivity in adults with characteristics of the metabolic syndrome. *Am J Physiol Endocrinol Metab*. 2007 Aug;293(2):E500–6; Dengel DR, Kelly AS, Olson TP, et al. Effects of weight loss on insulin sensitivity and arterial stiffness in overweight adults. *Metabolism*. 2006 Jul;55(7):907–11; Rosenfalck AM, Almdal T, Viggers L, et al. A low-fat diet improves peripheral insulin sensitivity in patients with type 1 diabetes. *Diabetic Med*. 2006 Apr;23(4):384–92.
 40. Williamson DF, Thompson TJ, Thun M, et al. Intentional weight loss and mortality among overweight individuals with diabetes. *Diabetes Care*. 2000;23(10): 1499–1504; Fujioka K. Benefits of moderate weight loss in patients with type 2 diabetes. *Diabetes Obes Metab*. 2010 Mar;12(3):186–94.
 41. Hinton EC, Parkinson JA, Holland AJ, Arana FS, Roberts AC, Owen AM. Neural contributions to the motivational control of appetite in humans. *Eur J Neurosci*. 2004 Sep;20(5):1411–18; Tataranni, PA, Gautier JF, Chen K, et al. Neuroanatomical correlates of hunger and satiation in humans using positron emission tomography. *Proc Natl Acad Sci. U S A*. 1999;96(8): 4569–74; Friedman MI, Ulrich P, Mattes RD. A figurative measure of subjective hunger sensations. *Appetite* 1999;32(3):395–404.

42. Fukui PT, Gonçalves TR, Strabelli CG, et al. Trigger factors in migraine patients. *Arq Neuropsiquiatr.* 2008 Sep;66(3A):494–99; Millichap JG, Yee MM. The diet factor in pediatric and adolescent migraine. *Pediatr Neurol.* 2003 Jan;28(1):9–15; Diamond S. Migraine headache: recognizing its peculiarities, precipitants, and prodromes. *Consultant.* 1995 Aug; 1190–95.
43. Fuhrman, J. *Fasting and eating for health: a medical doctor's program for conquering disease.* New York: St. Martin's Press; 1995.
44. Katsarava Z, Holle D, Diener HC. Medication overuse headache. *Curr Neurol Neurosci Rep.* 2009 Mar;9(2):115–19; Stephenson, J. Detox is crucial in chronic daily headache. *Family Practice News.* 1993 Jul;1, 2.
45. Hagen KB, Byfuglien MG, Falzon L, et al. Dietary interventions for rheumatoid arthritis. *Cochrane Database Syst Rev.* 2009 Jan 21; (1):CD006400; Proudman SM, Cleland LG, James MJ. Dietary omega-3 fats for treatment of inflammatory joint disease: efficacy and utility. *Rheum Dis Clin North Am.* 2008 May;34(2):469–79; Calder PC, Albers R, Antoine JM, et al. Inflammatory disease processes and interactions with nutrition. *Br J Nutr.* 2009 May; 101(suppl 1):S1–45; O'Sullivan M. Symposium on “The challenge of translating nutrition research into public health nutrition.” Session 3: Joint Nutrition Society and Irish Nutrition and Dietetic Institute Symposium on “Nutrition and autoimmune disease.” Nutrition in Crohn's disease. *Proc Nutr Soc.* 2009 May;68(2):127–34; Calder PC. Session 3: Joint Nutrition Society and Irish Nutrition and Dietetic Institute Symposium on “Nutrition and autoimmune disease.” PUFA, inflammatory processes and rheumatoid arthritis. *Proc Nutr Soc.* 2008 Nov;67(4): 409–18; Fujita A, Hashimoto Y, Nakahara K, et al. Effects of a low-calorie vegan diet on disease activity and general condition in patients with rheumatoid arthritis. *Rinsho Byori* 1999;47(6):554–60; Haugen MA, Kjeldsen-Kragh J, Bjerve KS, et al. Changes in plasma phospholipid fatty acids and their relationship to disease activity in rheumatoid arthritis patients treated with a vegetarian diet. *Br J Nutr.* 1994;72(4):555–66; Peltonen R, Nenonen M, Helve T, et al. Faecal microbial flora and disease activity in rheumatoid arthritis during a vegan diet. *Br J Rheumatol.* 1997; 36(1):64–68; Kjeldsen-Kragh J. Rheumatoid arthritis treated with vegetarian diets. *Am J Clin Nutr.* 1999;70(suppl 3):S594–600; Haddad EH, Berk LS, Kettering JD, et al. Dietary intake and biochemical, hematologic, and immune status of vegans compared with nonvegetarians. *Am J Clin Nutr.* 1999;70(suppl 3): S586–93.
46. Stapel SO, Asero R, Ballmer-Weber BK, et al. EAACI Task Force. Testing for IgG4 against foods is not recommended as a diagnostic tool: EAACI Task Force report. *Allergy* 2008 Jul;63(7):793–96; Kurowski K, Boxer RW. Food allergies: detection and management. *Am Fam Physician.* 2008 Jun 15;77(12): 1678–86; Kjeldsen-Kragh J, Hva-

- tum M, Haugen, et al. Antibodies against dietary antigens in rheumatoid arthritis patients treated with fasting and a one-year vegetarian diet. *Clin Exp Rheumatol*. 1995; 13(2):167–72.
47. Scott D, Symmons DP, Coulton BL, Popert AJ. Long-term outcome of treating rheumatoid arthritis: results after 20 years. *Lancet*. 1987;1(8542):1108–11.
48. Jones M, Symmons D, Finn J, Wolfe F. Does exposure to immunosuppressive therapy increase the 10-year malignancy and mortality risk? *Br J Rheum*. 1996;35(8):738–45.
49. Barnard, ND, Scialli AR, Hurlock D, Berton P. Diet and sex-hormone binding globulin, dysmenorrhea, and premenstrual symptoms. *Obstet Gynecol*. 2000; 92(2):245–50.
50. Does what you eat cause IBS? Common foods, including chicken, eggs, milk and wheat, may be the culprits. *Health News*. 2005 Dec; 11(12):7–8; King TS, Elia M, Hunter JO. Abnormal colonic fermentation in irritable bowel syndrome. *Lancet*. 1998; 352(9135):1187–89.
3. Abdelrahman SM, Elmaki HB, Idris WH, et al. Antinutritional factor content and hydrochloric acid extractability of minerals in pearl millet cultivars as affected by germination. *Int J Food Sci Nutr*. 2007 Feb;58(1):6–17; Kariluoto S, Liukkonen KH, Myllymäki O, et al. Effect of germination and thermal treatments on folates in rye. *J Agricult Food Chem*. 2006 Dec 13;54(25):9522–28; Xu JG, Tian CR, Hu QP, et al. Dynamic changes in phenolic compounds and antioxidant activity in oats (*Avena nuda* L.) during steeping and germination. *J Agricult Food Chem*. 2009 Nov 11;57(21):10392–98; Lintschinger J, Fuchs N, Moser H, et al. Uptake of various trace elements during germination of wheat, buckwheat and quinoa. *Plant Foods Hum Nutr*. 1997;50(3):223–37.
4. Wang L, Huang H, Wei Y, et al. Characterization and anti-tumor activities of sulfated polysaccharide SRBPS2a obtained from defatted rice bran. *Int J Biol Macromol*. 2009 Nov 1;45(4):427–31; Phutthaphadoong S, Yamada Y, Hirata A, et al. Chemopreventive effects of fermented brown rice and rice bran against 4-(methylnitrosamino)-1-3-pyridyl-1-butanone-induced lung tumorigenesis in female A/J mice. *Oncol Rep*. 2009 Feb; 21(2):321–27; Kannan A, Hettiarachchy N, Johnson MG, Nannapaneni R. Human colon and liver cancer cell proliferation inhibition by peptide hydrolysates derived from heat-stabilized defatted rice bran. *J Agricult Food Chem*. 2008 Dec 24;56(24):11643–37; Hudson

Глава 8 ВАШИЯТ ПЛАН ЗА ЗНАЧИТЕЛНО ОТСЛАБВАНЕ

1. Gustafsson K, Asp NG, Hagander B, et al. Influence of processing and cooking of carrots in mixed meals on satiety, glucose and hormonal response. *Int J Food Sci Nutr*. 1995;46(1):3–12.
2. Blackberry I, Kouris-Blazos A, Wahlqvist ML, et al. Legumes: the most important dietary predictor of survival in older people of different ethnicities. *Asia Pac J Clin Nutr*. 2004;13(suppl):S126.

- EA, Dinh PA, Kokubun T, et al. Characterization of potentially chemopreventive phenols in extracts of brown rice that inhibit the growth of human breast and colon cancer cells. *Cancer Epidemiol. Biomarkers Prevent.* 2000;9(11): 1163–70.
5. Flood JE, Rolls BJ. Soup preloads in a variety of forms reduce meal energy intake. *Appetite.* 2007 Nov;49(3):626–34; Jordan HA, Levitz LS, Utgoff KL, et al. Role of food characteristics in behavioral change and weight loss. *J Am Diet Assoc.* 1981;79:24; Foreyt JP, Reeves RS, Darnell LS, et al. Soup consumption as a behavioral weight-loss strategy. *J Am Diet Assoc.* 1986;86:524–26.
 6. Yashodhara BM, Umakanth S, Pappanchan JM, et al. Omega-3 fatty acids: a comprehensive review of their role in health and disease. *Postgrad Med J.* 2009 Feb; 85(1000):84–90.
 7. Sabaté J, Ang Y. Nuts and health outcomes: new epidemiologic evidence. *Am J Clin Nutr.* 2009 May;89(5)(suppl):S1643–48; Ros E. Nuts and novel biomarkers of cardiovascular disease. *Am J Clin Nutr.* 2009 May;89(5)(suppl): S1649–56.
 8. Jedrychowski W, Maugeri U, Popieta T, et al. Case-control study on beneficial effect of regular consumption of apples on colorectal cancer risk in a population with relatively low intake of fruits and vegetables. *Eur J Cancer Prev.* 2010 Jan;19(1):42–47; Foschi R, Pelucchi C, Dal Maso L, et al. Citrus fruit and cancer risk in a network of case-control studies. *Cancer Causes Control.* 2010 Feb;21(2): 237–42; van Duijnhoven FJ Buenn-de-Plesquita HB, Ferreri P, et al. Fruit, vegetables, and colorectal cancer risk: the European Prospective Investigation into Cancer and Nutrition. *Am J Clin Nutr.* 2009 May;89(5):1441–52; Maynard M, Gunnell D, Emmett P, et al. Fruit, vegetables and antioxidants in childhood and risk of cancer: the Boyd Orr cohort. *J Epidemiol Community Health.* 2003; 57:219–25.
 9. National Heart, Lung, and Blood Institute. National Institute of Diabetes and Digestive and Kidney Diseases. *Clinical guidelines on the identification, evaluation, and treatment of overweight and obesity in adults.* National Heart, Lung, and Blood Institute reprint. Bethesda, Md.: National Institutes of Health. http://www.nhlbi.nih.gov/guidelines/obesity/ob_gdlns.htm.

Глава 10: ЧЕСТО ЗАДАВАНИ ВЪПРОСИ

1. Ginde AA, Lill MC, Camargo CA Jr. Demographic differences and trends of vitamin D insufficiency in the US population, 1988–2004. *Arch Intern Med.* 2009;169(6): 626–32.
2. Oregon State University. Linus Pauling Institute. Micronutrient Information Center. Vitamin D. <http://lpi.oregonstate.edu/infocenter/vitamins/vitaminD>.
3. Chen P, Hup, Xie D, Qin Y, Wang F, Wang H. Meta-analysis of vitamin D, calcium and the prevention of breast cancer. *Breast Cancer Res Treat.* 2009 Oct 23. [Epub ahead of print]
4. Zhou G, Stoitzfus J, Swan BA. Optimizing vitamin D status to reduce colorectal cancer risk: an

- evidentiary review. *Clin J Oncol Nurs*. 2009 Aug;13(4):E3–17.
5. National Institutes of Health. Office of Dietary Supplements. Dietary Supplement Fact Sheet: Vitamin B₁₂. 2010.
 6. Mayne ST. Beta-carotene, carotenoids, and disease prevention in humans. *FASEB J*. 1996;10(7):690–701; Goodman GE. Prevention of lung cancer. *Curr Opin Oncol*. 1998;10(2):122–26; Kolata G. Studies find beta carotene, taken by millions, can't forestall cancer or heart disease. *New York Times*. 1996 Jan 19. Omenn GS, Goodman GE, Thornquist MD, et al. Effects of a combination of beta carotene and vitamin A on lung cancer and cardiovascular disease. *N Eng J Med*. 1996;334(18):1150–55; Hennekens CH, Buring JE, Manson JE, et al. Lack of effect of long-term supplementation with beta carotene on the incidence of malignant neoplasms and cardiovascular disease. *N Eng J Med*. 1996;334(18):1145–49; Albanes D, Heinonen OP, Taylor PR, et al. Alpha-tocopherol and beta-carotene supplements and lung cancer incidence in the alpha-tocopherol, beta-carotene cancer prevention study: effects of baseline characteristics and study compliance. *J Natl Cancer Inst*. 1996;88(21):1560–70; Rapola JM, Virtamo J, Ripatti S, et al. Randomized trial of alpha-tocopherol and beta-carotene supplements on incidence of major coronary events in men with previous myocardial infarction. *Lancet*. 1997;349(9067):1715–20; Bjelakovic G, Nikolova D, Gluud LL, et al. Antioxidant supplements for prevention of mortality in healthy participants and patients with various diseases. *Cochrane Database Syst Rev*. 2008 Apr 16;(2):CD007176.
 7. Harvard School of Public Health. The Nutrition Source. Keep the Multi, Skip the Heavily Fortified Foods. <http://www.hsph.harvard.edu/nutritionsource/what-should-you-eat/folic-acid/>.
 8. Yi K. Does a high folate intake increase the risk of breast cancer? *Nutr Rev*. 2006; 64(10 Pt 1): 468–75; Cole B, Baron J, Sandler R, et al. Folic acid for the prevention of colorectal adenomas. *JAMA*. 2007; 297(21):2351–59; Stolzenberg-Solomon R, Chang S, Leitzman M. Folate intake, alcohol use and postmenopausal breast cancer risk in the Prostate, Lung, Colorectal and Ovarian Cancer Screening Trial. *Am J Clin Nutr*. 2006;83:895–904; Smith AD, Kim Y, Refsuh H. Is folic acid good for everyone? *Am J Clin Nutr*. 2008;87(3):517; Kim Y. Role of folate in colon cancer development and progression. *J Nutr*. 2003;133(11) (suppl 1):S3731–39; Guelpen BV, Hultdin J, Johansson I, et al. Low folate levels may protect against colorectal cancer. *Gut*. 2006;55:1461–66.
 9. Heymsfield SB, Allison DB, Vasselli JR, et al. Garcinia cambogia (hydroxycitric acid) as a potential antiobesity agent. *JAMA*. 1998; 280(18):1596–1600.
 10. Jull AB, Ni Mhurchu C, Bennett DA, et al. Chitosan for overweight or obesity. *Cochrane Database Syst Rev*. 2008 Jul 16;(3):CD003892.
 11. Andraws R, Chawla P, Brown DL. Cardiovascular effects of ephedra alkaloids: a comprehensive review. *Prog Cardiovasc Dis*. 2005 Jan–Feb; 47(4):217–25.

12. Robinson JR, Niswender KD. What are the risks and the benefits of current and emerging weight-loss medications? *Curr Diab Rep.* 2009 Oct;9(5):368–75; Bray GA. Medications for obesity: mechanisms and applications. *Clin Chest Med.* 2009 Sep;30(3):525–38, ix.
13. Chiesa A, Serretti A. Mindfulness-based stress reduction for stress management in healthy people: a review and meta-analysis. *J Altern Complement Med.* 2009 May;15(5):593–600; Walton KG, Schneider RH, Nidich S. Review of controlled research on the transcendental meditation program and cardiovascular disease. Risk factors, morbidity, and mortality. *Cardiol Rev.* 2004 Sep–Oct; 12(5):262–66; Everly GS. *A clinical guide to the treatment of the human stress response.* New York: Plenum Press; 1989.
14. Butryn ML, Phelan S, Hill JO, Wing RR. Consistent self-monitoring of weight: a key component of successful weight loss maintenance. *Obesity (Silver Spring).* 2007 Dec; 15(12):3091–96; Boutelle, KN, Kirschenbaum DS Further support for consistent self-monitoring as a vital component of successful weight control. *Obes Res.* 1998;6: 219–24.
15. Mangat I. Do vegetarians have to eat fish for optimal cardiovascular protection? *Am J Clin Nutr.* 2009 May; 89(5)(suppl): S1597–1601; Davis BC, Kris-Etherton PM. Achieving optimal essential fatty acid status in vegetarians: current knowledge and practical implications. *Am J Clin Nutr.* 2003 Sep;78(Suppl 3):S640-46; Pauletto P, Puato, M Caroli MG, et al. Blood pressure and atherogenic lipoprotein profiles of fish-diet and vegetarian villagers in Tanzania: the Lugaiawa Study. *Lancet* 1996; 348: 784–88; Key TJ, Fraser GE, Thorogood M, et al. Mortality in vegetarians and nonvegetarians: detailed findings from a collaborative analysis of 5 prospective studies. *Am J Clin Nutr.* 1999; 70(3)(suppl):S516–24.
16. Steenland K, Bertazzi P, Baccarelli A, Kogevinas M. Dioxin revisited: developments since the 1997 IARC classification of dioxin as a human carcinogen. *Environ Health Perspect.* 2004 Sep;112(13): 1265–68; EPA report ratchets up dioxin peril. *Washington Post.* 2000 May 17.
17. Environmental Working Group. Shopper's Guide to Pesticides. <http://www.foodnews.org/wallet-guide.php>.
18. Bjelakovic G, Nikolova D, Gluud LL, et al. Antioxidant supplements for prevention of mortality in healthy participants and patients with various diseases. *Cochrane Database Syst Rev* 2008 Apr 16;(2): CD007176.
19. Report from Loma Linda University's Carbophobia Conference. *Vegetarian Nutrition and Health Letter,* 2000;3(5):4.
20. Lichtenstein AH, Ausman LM, Jalbert SM, Schaefer EJ. Effects of different forms of dietary hydrogenated fats on serum lipoprotein cholesterol levels. *N Eng J Med.* 1999;340:1933–40.
21. Lee S, Xiao-Ou S, Honglan L, et al. Adolescent and adult soy food intake and breast cancer risk: results from the Shanghai Wom-

- en's Health Study. *Am J Clin Nutr.* 2009;89:1920–26.
22. Tsugane S, Sasazuki S. Diet and the risk of gastric cancer. *Gastric Cancer* 2007;10(2):75–83; Strazzullo P, D'Elia L, Ngianga-Bakwin K, Cappuccio FP. Salt intake, stroke, and cardiovascular disease: meta-analysis of prospective studies *BMJ.* 2009;339:b4567
 23. Obarzanek E, Sacks FM, Moore TJ, et al. Dietary approaches to stop hypertension (DASH) — sodium trial. Paper. American Society of Hypertension, New York, May 17, 2000.
 24. Nowson CA, Patchett A, Wattanapenpaiboon N. The effects of a low-sodium base-producing diet including red meat compared with a high-carbohydrate, low-fat diet on bone turnover markers in women aged 45–75 years. *Br J Nutr.* 2009 Oct;102(8):1161–70; Itoh R, Suyama Y. Sodium excretion in relation to calcium and hydroxyproline excretion in a healthy Japanese population. *Am J Clin Nutr.* 1996;63(5):735–40.
 25. Tuomilehto J, Jousilahti P, Rastenyte D, et al. Urinary sodium excretion and cardiovascular mortality in Finland: a prospective study. *Lancet.* 2001;357(9259):848–51.
 26. Mehta A, Jain AC, Mehta MC, Billie M. Caffeine and cardiac arrhythmias: an experimental study in dogs with review of literature. *Acta Cardiol.* 1997;52(3):273–83.
 27. Rixsen NP, Rongen GA, Smits P. Acute and long-term cardiovascular effects of coffee: implications for coronary heart disease. *Pharmacol Ther.* 2009 Feb;121(2):185–91; Nurminen ML, Niittymen L, Korpela R, Vapaatalo H. Coffee, caffeine and blood pressure: a critical review. *Eur J Clin Nutr.* 1999;53(11):831–39; Christensen B, Mosdol A, Retterstol L, et al. Abstention from filtered coffee reduces the concentration of plasma homocysteine and serum cholesterol — a randomized controlled trial. *Am J Clin Nutr.* 2001;74(3):302–7.
 28. Van Cauter E, Spiegel K, Tasali E, Leproult R. Metabolic consequences of sleep and sleep loss. *Sleep Med.* 2008 Sep;9 (Suppl 1):S23–28.
 29. Ferreira MG, Valente JG, Gonçalves-Silva RM, Sichieri R. Alcohol consumption and abdominal fat in blood donors. *Rev Saude Publica.* 2008 Dec;42(6):1067–73; Sesso HD, Cook NR, Buring JE, et al. Alcohol consumption and the risk of hypertension in women and men. *Hypertension.* 2008 Apr;51(4):1080–7.
 30. Singletary KW, Gapstur SM. Alcohol and breast cancer: review of epidemiologic and experimental evidence and potential mechanisms. *JAMA.* 2001 Nov 7;286(17):2143–51; George A, Figueredo VM. Alcohol and arrhythmias: a comprehensive review. *J Cardiovasc Med (Hagerstown).* 2010 Apr;11(4):221–28.
 31. Lavin JH, French SJ, Read NW. The effect of sucrose- and aspartame-sweetened drinks on energy intake, hunger and food choice of female, moderately restrained eaters. *Int J Obes Relat Metab Disord.* 1997;21(1):37–42.
 32. Swithers SE, Martin AA, Davidson TL. High-intensity sweeteners

- and energy balance. *Physiol Behav.* 2010 Apr 26; 100(1):55–62. Bellisle F, Drewnowski A. Intense sweeteners, energy intake and the control of body weight. *Eur J Clin Nutr.* 2007 Jun;61(6):691–700; Mattes RD, Popkin BM. Nonnutritive sweetener consumption in humans: effects on appetite and food intake and their putative mechanisms. *Am J Clin Nutr.* 2009 Jan;89(1):1–14.
33. Bray G. How bad is fructose? *Am J Clin Nutr.* 2007;86(4):895–96; Tappy L, Lê KA. Metabolic effects of fructose and the worldwide increase in obesity. *Physiol Rev.* 2010 Jan;90(1):23–46.